

BST Eltromat France SARL Impasse de la Noisette - CE402 F-91374 Verrières le Buisson Tél.: +33 1 69 20 07 41 Email: bstfrance@bst.group Web: https://www.bst.elexis.group/	CCL Package Label - Pharma (Chilly-Mazarin) ACU231910 M. Jean-Charles Campana 20 Avenue Arago 91380 Chilly-Mazarin France +33 7 63 04 72 66 jccampana@cclind.com
--	---

Preventive reference number	PMREPORT-74_PM624_2024-04-23
Contract number / Numéro de contrat	CM1708005
Contract date:	2022/01/01 -> 2024/12/31
Machine customer name:	Presse 443
Assign to:	CouV
Material:	VIDEO_Tubescan_DS
Type:	TubeScan DS 430 4K / M2089aC0.1111
SN-WA:	ASO071778_42.1585
Installation date of material:	

TECHNICAL DATAS

PC MODEL	5070
PC NAME	TUBESCAN421585
ADDITIONAL CAMERA INFO	TubeScan DS 430 4K / M2089aC0.1111
OPERATION SYSTEM	Windows 10 pro
MEMORY RAM	16 gb
FREE SPACE ON C	159 gb
FREE SPACE ON D	
TEAMVIEWER ID	631 030 314 / v12
IP ADDRESS EXTERN FOR INTERNET	
ORIGINAL VERSION	7.4.44.111
UPG OR DNG VERSION DURING MAINTENANCE	No software upgrade recommended

	COMMENTS		COMMENTS
Touch monitor calibration	OK	Fixation encoder	OK
Touch monitor resolution	1024x768	Encoder wheel status	OK
View monitor resolution	1920x1080	Encoder wheel on web?	OK
Fixation screws of system?	OK	Spring(s) encoder status ?	OK
Cables status ?	OK	Alarm indicator status ?	OK
Connectors cameras (well tight?)	OK		
PC's fans ?	OK		
PC's filter	NA	Installation date:	
Lens cleaning	OK		
Mirror cleaning	OK	Software workflow communication	NA
Backing or RRB cleaning	OK	Check Teamviewer access	OK
Lens Focal	NA	Calibration of camera detail & 100% camera	NA
Camera alignment with printing	OK	Operators instruction ?	NA
Check web under camera	KO	Screenshots	OK
Height compensator calib	NA	ACRONIS ?	NA
Encoder offset calib	OK	Backup application	OK
Only with EV- LED calibrations	OK		
Kisspoint only with 2 cameras	NA		

Filled quantity needed for quotation:

(if fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

ENCODER WHEEL:: 2RDHO234275

LED Board equipped V40 L=140mm: 1ELLT256485

LED Board equipped V40 L=160mm: 1ELLT256486

ENCODER'S SPRING

BACKPLATE W/B

Comment(s)

(If fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

Customer signature:

Name:

Date :

BST eltromat FRANCE signature:

Name:

Date :


17/06/2024 11:48

BST Eltromat France SARL Impasse de la Noisette - CE402 F-91374 Verrières le Buisson Tél.: +33 1 69 20 07 41 Email: bstfrance@bst.group Web: https://www.bst.eloxis.group/	CCL Package Label - Pharma (Chilly-Mazarin) ACU231910 M. Jean-Charles Campana 20 Avenue Arago 91380 Chilly-Mazarin France +33 7 63 04 72 66 jccampana@cclind.com
--	---

Preventive reference number	PMREPORT-70_PM625_2024-04-23
Contract number / Numéro de contrat	CM1708005
Contract date:	2022/01/01 -> 2024/12/31
Machine customer name:	Presse 283
Assign to:	CouV
Material:	VIDEO_Tubescan_DS
Type:	TubeScan DS 330 4K / BF3-M2-0.0833
SN:WA:	ASO040399_38.772
Installation date of material:	2017/11/06

TECHNICAL DATAS

PC MODEL	3050
PC NAME	TUBESCAN38772
ADDITIONAL CAMERA INFO	TubeScan DS 330 4K / BF3-M2-0.0833
OPERATION SYSTEM	Windows 10 pro
MEMORY RAM	16 gb
FREE SPACE ON C	383 gb
FREE SPACE ON D	
TEAMVIEWER ID	491 858 976 / v12
IP ADDRESS EXTERN FOR INTERNET	
ORIGINAL VERSION	7.4.44.111
UPG OR DNG VERSION DURING MAINTENANCE	No software upgrade recommended

		COMMENTS			COMMENTS
Touch monitor calibration	OK		Fixation encoder	OK	
Touch monitor resolution		1024x768	Encoder wheel status	KO	need to to replace the wheel
View monitor resolution		1920x1080	Encoder wheel on web?	OK	
Fixation screws of system?	OK		Spring(s) encoder status ?	OK	
Cables status ?	OK		Alarm indicator status ?	OK	
Connectors cameras (well tight?)	KO				
PC's fans ?	OK				
PC's filter	OK		Installation date:		2017-11-06
Lens cleaning	OK				
Mirror cleaning	OK		Software workflow communication	NA	
Backing or RRB cleaning	OK		Check Teamviewer access	KO	
Lens Focal	NA		Calibration of camera detail & 100% camera	NA	
Camera alignment with printing	OK		Operators Instruction ?	NA	
Check web under camera	OK		Screenshots	OK	
Height compensator calib	OK		ACRONIS ?	NA	
Encoder offset calib	OK		Backup application	OK	
Only with EV- LED calibrations	NA				
Kisspoint only with 2 cameras	NA				

Filled quantity needed for quotation:

(if fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

ENCODER WHEEL:: 2RDHO234275

LED Board equipped V40 L=140mm: 1ELLT256485

LED Board equipped V40 L=160mm: 1ELLT256486

ENCODER'S SPRING

BACKPLATE W/B

Comment(s)

(If fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

Customer signature:


Name:

Date :

BST eltromat FRANCE signature:

Name:

Date :


17/06/2024 11:48

BST Eltromat France SARL Impasse de la Noisette - CE402 F-91374 Verrières le Buisson Tél.: +33 1 69 20 07 41 Email: bstfrance@bst.group Web: https://www.bst.elexis.group/	CCL Package Label - Pharma (Chilly-Mazarin) ACU231910 M. Jean-Charles Campana 20 Avenue Arago 91380 Chilly-Mazarin France +33 7 63 04 72 66 jccampana@cclind.com
--	---

Preventive reference number	PMREPORT-71_PM626_2024-04-23
Contract number / Numéro de contrat	CM1708005
Contract date:	2022/01/01 -> 2024/12/31
Machine customer name:	Presse 284
Assign to:	CouV
Material:	VIDEO_Tubescan_DS
Type:	TubeScan DS 330 4K / BF3-M2-0.0833
SN:WA:	ASO058489_40.1199
Installation date of material:	2019/08/19

TECHNICAL DATAS

PC MODEL	Please fill system information
PC NAME	TUBESCAN401199
ADDITIONAL CAMERA INFO	TubeScan DS 330 4K / BF3-M2-0.0833
OPERATION SYSTEM	Windows 10
MEMORY RAM	16 gb
FREE SPACE ON C	168 gb
FREE SPACE ON D	
TEAMVIEWER ID	1 525 580 331 / v12
IP ADDRESS EXTERN FOR INTERNET	
ORIGINAL VERSION	7.4.44.111
UPG OR DNG VERSION DURING MAINTENANCE	No software upgrade recommended

	COMMENTS		COMMENTS
Touch monitor calibration	NA	Fixation encoder	OK
Touch monitor resolution	720p	Encoder wheel status	OK
View monitor resolution	1080p	Encoder wheel on web?	OK
Fixation screws of system?	OK	Spring(s) encoder status ?	OK
Cables status ?	OK	Alarm indicator status ?	OK
Connectors cameras (well tight?)	OK		
PC's fans ?	OK		
PC's filter	NA	Installation date:	2019-08-19
Lens cleaning	OK		
Mirror cleaning	OK	Software workflow communication	KO
Backing or RRB cleaning	OK	Check Teamviewer access	OK
Lens Focal	NA	Calibration of camera detail & 100% camera	NA
Camera alignment with printing	OK	Operators instruction ?	NA
Check web under camera	OK	Screenshots	OK
Height compensator calib	OK	ACRONIS ?	NA
Encoder offset calib	OK	Backup application	OK
Only with EV- LED calibrations	NA		
Kisspoint only with 2 cameras	NA		

Filled quantity needed for quotation:

(if fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

ENCODER WHEEL:: 2RDHO234275

LED Board equipped V40 L=140mm: 1ELLT256485

LED Board equipped V40 L=160mm: 1ELLT256486

ENCODER'S SPRING

BACKPLATE W/B

Comment(s)

(If fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

Customer signature:

Name:


Date :

BST eltromat FRANCE signature:

Name:

Date :




17/06/2024 11:49

BST Eltromat France SARL Impasse de la Noisette - CE402 F-91374 Verrières le Buisson Tél.: +33 1 69 20 07 41 Email: bstfrance@bst.group Web: https://www.bst.elexis.group/	CCL Package Label - Pharma (Chilly-Mazarin) ACU231910 M. Jean-Charles Campana 20 Avenue Arago 91380 Chilly-Mazarin France +33 7 63 04 72 66 jccampana@cclind.com
--	---

Preventive reference number	PMREPORT-73_PM627_2024-04-23
Contract number / Numéro de contrat	CM1708005
Contract date:	2022/01/01 -> 2024/12/31
Machine customer name:	Presse 285
Assign to:	CouV
Material:	VIDEO_Tubescan_DS
Type:	TubeScan DS 330 4K / BF3-M2-0.0833
SN:WA:	ASO058488_40.1209
Installation date of material:	2019/08/19

TECHNICAL DATAS

PC MODEL	5060
PC NAME	TUBESCAN401209
ADDITIONAL CAMERA INFO	TubeScan DS 330 4K / BF3-M2-0.0833
OPERATION SYSTEM	Windows 10
MEMORY RAM	16 gb
FREE SPACE ON C	168 gb
FREE SPACE ON D	
TEAMVIEWER ID	770 754 848 / v12
IP ADDRESS EXTERN FOR INTERNET	
ORIGINAL VERSION	7.4.44.111
UPG OR DNG VERSION DURING MAINTENANCE	No software upgrade recommended

		COMMENTS			COMMENTS
Touch monitor calibration	OK		Fixation encoder	OK	
Touch monitor resolution		720p	Encoder wheel status	KO	Wheel need to be replaced
View monitor resolution		1080p	Encoder wheel on web?	OK	
Fixation screws of system?	OK		Spring(s) encoder status ?	OK	
Cables status ?	OK		Alarm indicator status ?	OK	
Connectors cameras (well tight?)	OK				
PC's fans ?	OK				
PC's filter	OK		Installation date:		2019-08-19
Lens cleaning	OK				
Mirror cleaning	OK		Software workflow communication	NA	
Backing or RRB cleaning	OK		Check Teamviewer access	OK	
Lens Focal	NA		Calibration of camera detail & 100% camera	OK	
Camera alignment with printing	OK		Operators instruction ?	NA	
Check web under camera	OK		Screenshots	OK	
Height compensator calib	OK		ACRONIS ?	NA	
Encoder offset calib	OK		Backup application	OK	
Only with EV- LED calibrations	NA				
Kisspoint only with 2 cameras	NA				

Filled quantity needed for quotation:

(if fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

ENCODER WHEEL:: 2RDHO234275

LED Board equipped V40 L=140mm: 1ELLT256485

LED Board equipped V40 L=160mm: 1ELLT256486

ENCODER'S SPRING

BACKPLATE W/B

Comment(s)

(If fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

Customer signature:

Name:

Date :

BST eltromat FRANCE signature:

Name:

Date :




17/06/2024 11:49

BST Eltromat France SARL Impasse de la Noisette - CE402 F-91374 Verrières le Buisson Tél.: +33 1 69 20 07 41 Email: bstfrance@bst.group Web: https://www.bst.elxis.group/	CCL Package Label - Pharma (Chilly-Mazarin) ACU231910 M. Jean-Charles Campana 20 Avenue Arago 91380 Chilly-Mazarin France +33 7 63 04 72 66 jccampana@cclind.com
--	---

Preventive reference number	PMREPORT-72_PM628_2024-04-23
Contract number / Numéro de contrat	CM1708005
Contract date:	2022/01/01 -> 2024/12/31
Machine customer name:	Presse 441
Assign to:	CouV
Material:	VIDEO_Tubescan_DS
Type:	TubeScan DS 430 4K / BF3-M2-0.1111
SN:WA:	ASO042694_38.811
Installation date of material:	2018/02/01

TECHNICAL DATAS

PC MODEL	5050
PC NAME	TUBESCAN38811
ADDITIONAL CAMERA INFO	TubeScan DS 430 4K / BF3-M2-0.1111
OPERATION SYSTEM	Windows 10 pro
MEMORY RAM	16 gb
FREE SPACE ON C	383 gb
FREE SPACE ON D	
TEAMVIEWER ID	1 695 667 268 / v12
IP ADDRESS EXTERN FOR INTERNET	
ORIGINAL VERSION	7.4.44.111
UPG OR DNG VERSION DURING MAINTENANCE	No software upgrade recommended

		COMMENTS			COMMENTS
Touch monitor calibration	OK		Fixation encoder	OK	
Touch monitor resolution		1024x768	Encoder wheel status	OK	
View monitor resolution		1920x1080	Encoder wheel on web?	OK	
Fixation screws of system?	OK		Spring(s) encoder status ?	OK	
Cables status ?	OK		Alarm indicator status ?	OK	
Connectors cameras (well tight?)	OK				
PC's fans ?	OK				
PC's filter	NA		Installation date:		2018-02-01
Lens cleaning	OK				
Mirror cleaning	OK		Software workflow communication	NA	
Backing or RRB cleaning	OK		Check Teamviewer access	OK	
Lens Focal	NA		Calibration of camera detail & 100% camera	NA	
Camera alignment with printing	OK		Operators instruction ?	NA	
Check web under camera	OK		Screenshots	OK	
Height compensator calib	NA		ACRONIS ?	NA	
Encoder offset calib	OK		Backup application	OK	
Only with EV- LED calibrations	NA				
Kisspoint only with 2 cameras	NA				

Filled quantity needed for quotation:

(if fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

ENCODER WHEEL:: 2RDHO234275

LED Board equipped V40 L=140mm: 1ELLT256485

LED Board equipped V40 L=160mm: 1ELLT256486

ENCODER'S SPRING

BACKPLATE W/B

Comment(s)

(If fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

Customer signature:


Name:

Date :

BST eltromat FRANCE signature:

Name:

Date :


17/06/2024 11:49

BST Eltromat France SARL Impasse de la Noisette - CE402 F-91374 Verrières le Buisson Tél.: +33 1 69 20 07 41 Email: bstfrance@bst.group Web: https://www.bst.elexis.group/	CCL Package Label - Tabacco (Chilly-Mazarin) ACU231910 Mme Nina Bühlmann 3 rue Denis Papin 91380 Chilly-Mazarin France +33 6 63 75 08 72 nbuhlmann@cclind.com
--	--

Preventive reference number	PMREPORT-76_PM629_2024-04-23
Contract number / Numéro de contrat	CM1708005
Contract date:	2022/01/01 -> 2024/12/31
Machine customer name:	511 Front
Assign to:	CouV
Material:	VIDEO_Tubescan_DS
Type:	TubeScan DS 550 HR1 / M2051C-0.2222
SN:WA:	ASO073562_42.1631
Installation date of material:	2021/01/08

TECHNICAL DATAS

PC MODEL	Please fill system information
PC NAME	Please fill system information
ADDITIONAL CAMERA INFO	TubeScan DS 550 HR1 / M2051C-0.2222
OPERATION SYSTEM	Please fill system information
MEMORY RAM	Please fill system information
FREE SPACE ON C	Please fill system information
FREE SPACE ON D	
TEAMVIEWER ID	687 403 186 / v15
IP ADDRESS EXTERN FOR INTERNET	
ORIGINAL VERSION	7.4.29.78
UPG OR DNG VERSION DURING MAINTENANCE	No software upgrade recommended

	COMMENTS		COMMENTS
Touch monitor calibration	OK	Fixation encoder	OK
Touch monitor resolution	1024x768	Encoder wheel status	OK
View monitor resolution	1920x1080	Encoder wheel on web?	OK
Fixation screws of system?	OK	Spring(s) encoder status ?	OK
Cables status ?	OK	Alarm indicator status ?	OK
Connectors cameras (well tight?)	OK		
PC's fans ?	OK		
PC's filter	OK	Installation date:	2021-01-08
Lens cleaning	OK		
Mirror cleaning	OK	Software workflow communication	NA
Backing or RRB cleaning	OK	Check Teamviewer access	OK
Lens Focal	NA	Calibration of camera detail & 100% camera	NA
Camera alignment with printing	OK	Operators instruction ?	NA
Check web under camera	NA	Screenshots	OK
Height compensator calib	OK	ACRONIS ?	NA
Encoder offset calib	NA	Backup application	OK
Only with EV- LED calibrations	NA		
Kisspoint only with 2 cameras	NA		

Filled quantity needed for quotation:

(if fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

ENCODER WHEEL:: 2RDHO234275

LED Board equipped V40 L=140mm: 1ELLT256485

LED Board equipped V40 L=160mm: 1ELLT256486

ENCODER'S SPRING

BACKPLATE W/B

Comment(s)

(If fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

Customer signature:

Name:

Date :

BST eltromat FRANCE signature:

Name:

Date :


17/06/2024 11:50

BST Eltromat France SARL Impasse de la Noisette - CE402 F-91374 Verrières le Buisson Tél.: +33 1 69 20 07 41 Email: bstfrance@bst.group Web: https://www.bst.elexis.group/	CCL Package Label - Tabacco (Chilly-Mazarin) ACU231910 Mme Nina Bühlmann 3 rue Denis Papin 91380 Chilly-Mazarin France +33 6 63 75 08 72 nbuhlmann@cclind.com
--	--

Preventive reference number	PMREPORT-75_PM630_2024-04-23
Contract number / Numéro de contrat	CM1708005
Contract date:	2022/01/01 -> 2024/12/31
Machine customer name:	511 Back
Assign to:	CouV
Material:	VIDEO_Tubescan_DS
Type:	TubeScan DS 550 4000 / M2032aC-0.1388
SN:WA:	ASO068787_42.1534
Installation date of material:	2020/09/16

TECHNICAL DATAS

PC MODEL	Please fill system information
PC NAME	Please fill system information
ADDITIONAL CAMERA INFO	TubeScan DS 550 4000 / M2032aC-0.1388
OPERATION SYSTEM	Please fill system information
MEMORY RAM	Please fill system information
FREE SPACE ON C	Please fill system information
FREE SPACE ON D	
TEAMVIEWER ID	359 265 176 / v12
IP ADDRESS EXTERN FOR INTERNET	
ORIGINAL VERSION	7.4.29.78
UPG OR DNG VERSION DURING MAINTENANCE	No software upgrade recommended

		COMMENTS			COMMENTS
Touch monitor calibration	OK		Fixation encoder	OK	
Touch monitor resolution		1024x768	Encoder wheel status	OK	
View monitor resolution		1920x1080	Encoder wheel on web?	OK	
Fixation screws of system?	OK		Spring(s) encoder status ?	OK	
Cables status ?	OK		Alarm indicator status ?	OK	
Connectors cameras (well tight?)	OK				
PC's fans ?	OK				
PC's filter	NA		Installation date:		2020-09-16
Lens cleaning	OK				
Mirror cleaning	OK		Software workflow communication	NA	
Backing or RRB cleaning	OK		Check Teamviewer access	OK	
Lens Focal	NA		Calibration of camera detail & 100% camera	NA	
Camera alignment with printing	OK		Operators instruction ?	NA	
Check web under camera	OK		Screenshots	OK	
Height compensator calib	OK		ACRONIS ?	NA	
Encoder offset calib	OK		Backup application	OK	
Only with EV- LED calibrations	NA				
Kisspoint only with 2 cameras	NA				

Filled quantity needed for quotation:

(if fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

ENCODER WHEEL:: 2RDHO234275

LED Board equipped V40 L=140mm: 1ELLT256485

LED Board equipped V40 L=160mm: 1ELLT256486

ENCODER'S SPRING

BACKPLATE W/B

Comment(s)

(If fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

Customer signature:

Name:


Date :

BST eltromat FRANCE signature:

Name:

Date :




17/06/2024 11:50

BST Eltromat France SARL Impasse de la Noisette - CE402 F-91374 Verrières le Buisson Tél.: +33 1 69 20 07 41 Email: bstfrance@bst.group Web: https://www.bst.elexis.group/	CCL Package Label - Tabacco (Chilly-Mazarin) ACU231910 Mme Nina Bühlmann 3 rue Denis Papin 91380 Chilly-Mazarin France +33 6 63 75 08 72 nbuhlmann@cclind.com
--	--

Preventive reference number	PMREPORT-66_PM631_2024-04-18
Contract number / Numéro de contrat	CM1708005
Contract date:	2022/01/01 -> 2024/12/31
Machine customer name:	S21
Assign to:	CouV
Material:	VIDEO_Tubescan_DS
Type:	TubeScan DS 430 4K / M2032C-0.1111
SN:WA:	ASO078965_42.1896
Installation date of material:	2021/09/08

TECHNICAL DATAS

PC MODEL	Optiplex 7090
PC NAME	TubeScan421896
ADDITIONAL CAMERA INFO	TubeScan DS 430 4K / M2032C-0.1111
OPERATION SYSTEM	Windows 10 pro
MEMORY RAM	16 gb
FREE SPACE ON C	147 gb
FREE SPACE ON D	
TEAMVIEWER ID	386 517 846 / v12
IP ADDRESS EXTERN FOR INTERNET	
ORIGINAL VERSION	7.4.29.78
UPG OR DNG VERSION DURING MAINTENANCE	No software upgrade recommended

	COMMENTS		COMMENTS
Touch monitor calibration	OK	Fixation encoder	OK
Touch monitor resolution	1920x1080	Encoder wheel status	OK
View monitor resolution	1920x1080	Encoder wheel on web?	OK
Fixation screws of system?	OK	Spring(s) encoder status ?	OK
Cables status ?	OK	Alarm indicator status ?	NA
Connectors cameras (well tight?)	OK		
PC's fans ?	OK		
PC's filter	NA	Installation date:	2021-09-08
Lens cleaning	OK		
Mirror cleaning	OK	Software workflow communication	NA
Backing or RRB cleaning	OK	Check Teamviewer access	OK
Lens Focal	NA	Calibration of camera detail & 100% camera	NA
Camera alignment with printing	OK	Operators instruction ?	NA
Check web under camera	OK	Screenshots	OK
Height compensator calib	NA	ACRONIS ?	NA
Encoder offset calib	NA	Backup application	OK
Only with EV- LED calibrations	NA		
Kisspoint only with 2 cameras	OK		

Filled quantity needed for quotation:

(if fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

ENCODER WHEEL:: 2RDHO234275

LED Board equipped V40 L=140mm: 1ELLT256485

LED Board equipped V40 L=160mm: 1ELLT256486

ENCODER'S SPRING

BACKPLATE W/B

Comment(s)

(If fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

Customer signature:


Name:

Date :

BST eltromat FRANCE signature:

Name:

Date :


4/06/2024 11:50

BST Eltromat France SARL Impasse de la Noisette - CE402 F-91374 Verrières le Buisson Tél.: +33 1 69 20 07 41 Email: bstfrance@bst.group Web: https://www.bst.elexis.group/	CCL Package Label - Tabacco (Chilly-Mazarin) ACU231910 Mme Nina Bühlmann 3 rue Denis Papin 91380 Chilly-Mazarin France +33 6 63 75 08 72 nbuhlmann@cclind.com
--	--

Preventive reference number	PMREPORT-65_PM636_2024-04-18
Contract number / Numéro de contrat	CM1708005
Contract date:	2022/01/01 -> 2024/12/31
Machine customer name:	S27
Assign to:	CouV
Material:	VIDEO_Tubescan_DS
Type:	TubeScan DS550 4000 / M2032aC 0.1388
SN:WA:	ASO090409_42.2359
Installation date of material:	2022/10/07

TECHNICAL DATAS

PC MODEL	Please fill system information
PC NAME	Please fill system information
ADDITIONAL CAMERA INFO	TubeScan DS550 4000 / M2032aC 0.1388
OPERATION SYSTEM	Please fill system information
MEMORY RAM	Please fill system information
FREE SPACE ON C	Please fill system information
FREE SPACE ON D	
TEAMVIEWER ID	1 074 214 774 / v12
IP ADDRESS EXTERN FOR INTERNET	
ORIGINAL VERSION	7.4.25.71
UPG OR DNG VERSION DURING MAINTENANCE	No software upgrade recommended

		COMMENTS			COMMENTS
Touch monitor calibration	OK		Fixation encoder	OK	
Touch monitor resolution		1024x768	Encoder wheel status	KO	
View monitor resolution		1920x1080	Encoder wheel on web?	OK	
Fixation screws of system?	OK		Spring(s) encoder status ?	OK	
Cables status ?	OK		Alarm indicator status ?	NA	
Connectors cameras (well tight?)	OK				
PC's fans ?	NA				
PC's filter	NA		Installation date:		2022-10-07
Lens cleaning	OK				
Mirror cleaning	OK		Software workflow communication	NA	
Backing or RRB cleaning	OK		Check Teamviewer access	KO	The computer is connected like the other system but there is no connection. Need to check with informtic service
Lens Focal	NA		Calibration of camera detail & 100% camera	NA	
Camera alignment with printing	OK		Operators instruction ?	NA	
Check web under camera	OK		Screenshots	OK	
Height compensator calib	NA		ACRONIS ?	NA	
Encoder offset calib	NA		Backup application	OK	
Only with EV- LED calibrations	NA				
Kisspoint only with 2 cameras	NA				

Filled quantity needed for quotation:

(if fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

ENCODER WHEEL:: 2RDHO234275

LED Board equipped V40 L=140mm: 1ELLT256485

LED Board equipped V40 L=160mm: 1ELLT256486

ENCODER'S SPRING

BACKPLATE W/B

Comment(s)

(If fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

Customer signature:


Name:

Date :

BST eltromat FRANCE signature:

Name:

Date :


17/06/2024 11:51

