

On Customer Site

Visit Report

Reference :

Commande BSTe France : 212114 / 2011_221		Call number : E871	
Customer :	Amcors Flexible Capsules	System :	SHS 4100
Customer Contact :	M. REMY YOANN	ASO / WA :	ASO076189
Customer Order number :	4530527466 / 4530531477 / 4530527481	Machine Nickname :	33.08

Visit Purpose :

Mechanical Preparation	☒	Installation	☒	Start-up	☒
Maintenance	☐	Under Contract	☐	Out of Contract	☐
Troubleshoot	☐	Under Warranty	☐	Out of Warranty	☐
Instruction	☐ Yes				
	☒ No				

	09 / 08 / 2021	10 / 08 / 2021	12 / 08 / 2021	/ /	/ /	/ /
Travel To	2h00	0.5				
Start Time	10h00	6h00				
Lunch Time	0.5	0.5				
End Time	14h00	14h00				
Travel From	0.5	0.5				

Details	Mise en service d'une caméra Super Handy Scan 4100. Configuration, ajustement et calibration.
---------	---

On Customer Site

Purpose of the visit completed : Yes ☒ No ☐

Need a new visit : Yes ☐ No ☒

Customer name and place : [Amcor Flexible Capsules / Mareuil sur Ay, 21 rue d'Ay – 51160 – Ay Champagne - France](#)

Contact person at customer / Title : [M. \(\)](#)

Customer Mail & Mobile/Landline : yoann.remy@amcor.com / +33 3 26 59 54 00 / +33 3 26 59 69 44

System Type : [SHS 4100](#)

ASO/WA : [ASO076189](#)

Machine Manufacturer/Model/Nickname : [33.08](#)

Date : [11/08/2021](#)

Name : [Richard Relin](#)

Comments :

Signatures :

Richard Relin 2021-08-12T14:11:31+02:00



Yoann Remy 2021-08-12T14:11:21+02:00

BST eltromat FSE

Customer

On Customer Site

Technical datas

Computer name : SHS4100

Computer description : SHS4100

Total Physical Memory : 4 GB

Free Space in C Drive (System) : 11 GB

Free Space in D Drive (Data) : 1.94 GB

OS : Windows Embedded Standard SP1

Screen Resolution 1 : 1280x1024

Camera Type : CAM/SHS4/1CH/5x4/1S/1UV

Computer Model / Image :

(*) Global Version : Current : 7.1.2 New :

() Remote Maintenance (Teamviewer)**

IP address :

Subnet mask :

Default gateway :

Preferred DNS server :

Alternate DNS server :

Teamviewer ID : /v12


- (***) - Image
- iTrace
- Save db

OK/NOK/NA



On Customer Site

- Screenshot from Application settings



Notes
