

On Customer Site

Visit Report

Reference :

Commande BSTe France : 222249		Commande BSTe Int. : E1339	
Customer :		System :	TubeScan DS430
Customer Contact :	M. Serge Eicheldinger	SN :	ASO089809-42.2348
Customer Order number :	300622	Machine Nickname :	Prati saturn

Visit Purpose :

Mechanical Preparation	☒	Installation	☒	Start-up	☒
Maintenance	☐	Under Contract	☐	Out of Contract	☐
Troubleshoot	☐	Under Warranty	☐	Out of Warranty	☐
Instruction	☒ Yes				
	☐ No				

	20/02/2023	21 / 02 /2023	22 / 01 /2023	23 /02 / 2023		
Travel To	5	0.5	0.5	0.5		
Start Time	14h30	8h30	8h30	8h30		
Lunch Time	0.5	0.5	0.5	0.5		
End Time	18h00	18h00	18h00	11h00		
Travel From	0.5	0.5	0.5	5		

Details	Installation avec instruction.
---------	--------------------------------

Purpose of the visit completed : Yes ☒ No ☐
 Need a new visit : Yes ☐ No ☒

On Customer Site

Customer Details for NYQUIST Systems

Customer name and place : [LithoBru, Avenue des Torulas – ZI Merpin – CS 90250, 16112 Merpins - France](#)

Contact person at customer : [M. Serge Eicheldinger \(Responsable de Production\)](#)

Customer Mail & Mobile/Landline : serge.eicheldinger@lithobru.com / +33 5 45 81 01 16 / +33 6 47 69 62 77

System Type : [TubeScan DS430](#)

SN : [ASO089809_43.2338](#)

Machine Manufacturer/Model/Nickname : [Prati Saturn](#)

Date : [23/02/2023](#)

Name : [Richard Relin](#)

Comments :

Signatures :



Relin Richard

BST eltromat FSE



Serge Eicheldinger

Customer

On Customer Site

Technical datas

Computer name : [TubeScan432348](#)

Total Physical Memory : [16 GB](#)

Free Space in C Drive (System) : [151 GB](#)

OS : [Win 10 PRO](#)

UPS: [2022](#)

Screen Resolution Touch : [1024x768](#)

Screen Resolution Full View : [2560X1440](#)

Computer Model : [OPTIPLEX 7090 .](#)

Date : [2022](#)

Version : [7.4.38.105](#)

Remote Maintenance (Teamviewer)

IP address : [DHCP Auto](#)

Subnet mask :

Default gateway :

Preferred DNS server :

Alternate DNS server :

Teamviewer ID / [1 050 380 441 / v12](#)

On Customer Site

Notes

- **PDF Comparaison et Distance Monitoring installer sur Miyakoshi en essai 60 jours.**