

On Customer Site

Visit Report

Reference :

Commande BSTe France : SERV 240916DT		Call / PM number : E2246	
Customer :	RKW Castelletta	System :	Argus Elite
Customer Contact :	M. Cyril Barthelemy	SN :	LS38182_429187
Customer Order number :	4500539341	Machine Nickname :	FI

Visit Purpose :

Mechanical Preparation	☐	Installation	☐	Start-up	☐
Maintenance	☒	Under Contract	☐	Out of Contract	☒
Troubleshoot	☐	Under Warranty	☐	Out of Warranty	☐
Instruction	☐ Yes				
	☒ No				

	27/09/2024					
Travel To	0.5					
Start Time	18h30					
Lunch Time	0					
End Time	12h30					
Travel From	3.5					

Details	Maintenance Préventive du système d'inspection sur presse Comexi FPlus. Nettoyage et calibration des caméra LCCD & PV + périphérique. Archivage. Optimisation PC et configuration de sensibilités. Backup
---------	---

Purpose of the visit completed : Yes ☒ No ☐

Need a new visit : Yes ☐ No ☒

On Customer Site

Maintenance Checklist for AVT Systems

Customer name and place : [RKW Castelletta / 2 allée de la Richelande – 42330 – Chamboeuf - France](#)

Contact person at customer : [M. Cyril Barthelemy \(Responsable Impression\)](#)

Customer Mail & Mobile/Landline : cyrill.barthelemy@rkw-group.com / +33 4 77 52 71 07 / +33 6 79 05 47 67

SN : [LS38182_429187](#)

Machine Manufacturer/Model/Nickname : [Comexi / FI3010 CNC GL / FI](#)

Date : [27/09/2024](#)

Name : [Arnaud Darcel](#)

Comments :

Signatures :



jeudi 3 octobre 2024 13:39:01

BST eltromat FSE

Customer

On Customer Site

Prior to a Preventive Maintenance :

Check for system affecting modification reports and software releases.

Check for optional light source.

Check with customer about problems, or failure with the system.

1. Cleaning the optical parts :

OK/NOK/NA

- Mirror cleaned wit ZEISS lens wipes. ☐☐☒
- Camera lens cleaned with ZEISS lens wipes. ☒☐☐
- Reflectors cleaned with soft cloth using iso propanol or alcohol. ☐☐☒
- Back plate cleaned. ☒☐☐
- Computer filter cleaned/replaced ☐☐☒

2. Camera calibration :

OK/NOK/NA

- Field of View / Period 557.00 mm / 556.00 mm – Périod 10.05 ☒☐☐
- Offset/Gain Calibration. ☐☐☒
- Zero LED calibration : Any/Zero/Dig Zero/Events ☒☐☐

3. Check functioning of the Lamps :

OK/NOK/NA

- Lamps replacement. : LED ☐☐☒
- Brightness and uniformity of the image checked. ☒☐☐

4. Replacement of the encoder wheel :

OK/NOK/NA

- Encoder wheel replaced and tightened ☒☐☐
- Spring replaced (if necessary) and spring force checked (ca. 1kg/10N) ☐☐☒

5. Software update :

OK/NOK/NA

- Software Update (if necessary). ☐☒☐

Old SW version : 6.0.0.3

New SW version : 6.0.0.3

On Customer Site

6. Final check of the running system :

OK/NOK/NA

- Stability of live image checked (without reference image).
- Stripe alignment checked (Normal and reflective mode).
- Registration checked.
- Maximum speed checked.
- Hard drive capacity checked.
- Backup created and saved locally and/or on USB stick.

☒☐☐☒☐☐☒☐☐☒☐☐☒☐☐☒☐☐**7. Backup :**

OK/NOK/NA

- BackupRestore
- Archive Printflow

☒☐☐☒☐☐**Parts replaced during Preventive Maintenance :**

1 -

2 -

Parts suggested to replace during the next Maintenance :

1 -

2 -

Part need to be replaced as soon as possible :

1 -

2 -

On Customer Site

Technical datas

Computer name : [NEWIMAGE](#)

Total Physical Memory : [32 GB](#)

Free Space in C Drive (System) : [71.9 / 244 GB](#)

Free Space in D Drive : [589 / 686 GB](#)

Free Space in C Drive (Backup) : [749 / 931 GB](#)

OS : [6.1.7601 Service Pack 1 Build 7601](#)

Screen Resolution 1 : [1920x1200](#)

Screen Resolution 1 : [1920x1080](#)

Computer Model : [65244004 – W.S 30/20 AM 2MO ASMB-81 32GB 700W](#)

Date : [Feb, 2019](#)

ACB Firmware : [yr49 / yk49](#)

Remote Maintenance (Teamviewer)

IP address : [DHCP Automatic](#)

Subnet mask :

Default gateway :

Preferred DNS server :

Alternate DNS server :


Teamviewer ID / Version : [410 328 056 / v15](#)

On Customer Site



Notes

1- Calibration LCCD


a. Station1-Main OpHead-CDalsaPiranha4-Cam1



b. Station1-Main OpHead-CDalsaPiranha4-Cam2





c. Station1-Multi OpHead-MultiCCDCamera



On Customer Site


2- Calibration PV

a. Set Station1-Main OpHead-AT140-GE-Camera View



On Customer Site

b. Set Station1-Main OpHead-AT140-GE-Camera View AC



On Customer Site

3- Entretien des éléments optiques et de contraste

a. LCCD (Apollo)



On Customer Site

b. PV (Jupiter)

