

BST Eltromat France SARL Impasse de la Noisette - CE402 F-91374 Verrières le Buisson Tél.: +33 1 69 20 07 41 Email: bstfrance@bst.group Web: https://www.bst.elexis.group/	OREP Packaging M. Christophe Mionnet 17 route de Vauzelle 37600 Loches France +33 2 47 91 13 94 christophe.mionnet@orep-packaging.fr
--	--

Preventive reference number	PMREPORT-235_PM841_2025-03-11
Contract number / Numéro de contrat	CM2306054
Contract date:	2023/07/01 -> 2026/06/30
Machine customer name:	BOBCAT
Assign to:	CouV
Material:	VIDEO_Tubescan_DS
Type:	TubeScan DS 660 4000 / M2032C 0.1667
SN:WA:	ASO092236_50.2390
Origin BST France order:	222347
Installation date of material:	2022/11/07

TECHNICAL DATAS

PC MODEL	OptiPlex 7090
PC NAME	TubeScan502390
ADDITIONAL CAMERA INFO	TubeScan DS 660 4000 / M2032C 0.1667
OPERATION SYSTEM	Win1dows 10 Pro / 21H1
MEMORY RAM	16 Go
FREE SPACE ON C	98.2 / 237 GB
FREE SPACE ON D	-
TEAMVIEWER ID	363 341 548 / v15
IP ADDRESS EXTERN FOR INTERNET	IP Address : 192.168.10.50 Subnet mask : 255.255.255.0 Default gateway : 192.168.10.60 Preferred DNS server : 192.168.10.202 Alternative DNs server :
ORIGINAL VERSION	7.4.30.79
UPGRADE OR DOWNGRADE VERSION LAST INTERVENTION	8.0.32.29966 from E2156
UPG OR DNG VERSION DURING MAINTENANCE	8.0.41.33521

Start time PM:	11/03/2025 14:38
End time PM:	

COMMENTS			COMMENTS		
Touch monitor calibration	✓		Fixation encoder	✓	
Touch monitor resolution		1920X1080	Encoder wheel status	✓	
View monitor resolution		2560x1440	Encoder wheel on web?	✓	
Fixation screws of system?	✓		Spring(s encoder status ?	✓	
Cables status ?	✓		Alarm indicator status ?	✓	
Connectors cameras (well tight?)	✓				
PC's fans ?	✓				
PC's filter	II		Installation date:		2022-11-07
Lens cleaning	✓				
Mirror cleaning	✓		Softwareworkflowcommunication	II	
Backing or RRB cleaining	✓		Check Teamviewer access	✓	
Lens Focal	✓		Calibration of camera detail & 100%camera	II	
Camera alignement with printing	✓		Operators instruction ?	II	
Check web under camera	✓		Screenshots	✓	
Height compensator calib	✓		ACRONIS ?	II	
Encoder offset calib	✓		Backup application	✓	
Only with EV- LED calibrations	II				
Kisspoint only with 2 cameras	✓				

Filled quantity needed for quotation:

(if fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

- | | |
|--------------------------|---|
| ☐ | ENCODER WHEEL:: 2RDHO234275 |
| ☐ | LED Board equipped V40 L=140mm: 1ELLT256485 |
| ☐ | LED Board equipped V40 L=160mm: 1ELLT256486 |
| ☐ | ENCODER'S SPRING |
| ☐ | BACKPLATE W/B |

- ✅: Checked, nothing to report / Vérifié, RAS
❌: Not OK, checked comment / Pas OK, vérifiez commentaires
⏸: Not actif / Non Actif

Comment(s)

(If fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

Customer signature:

Name:

Date :

BST eltromat FRANCE signature:

Name:

Date :


12/03/2025 16:52


12/03/2025 16:52