

BST Eltromat France SARL Impasse de la Noisette - CE402 F-91374 Verrières le Buisson Tél.: +33 1 69 20 07 41 Email: bstfrance@bst.group Web: https://www.bst.elaxis.group/	Haas Etiquettes (inessens) 231547 M. Dominique Da Costa 20 Rue des 20 Arpents 77210 Samoreau France +33 1 64 23 71 49 / + 33 1 64 23 99 61 prod-haas@inessens.fr
--	---

Preventive reference number	PMREPORT-233_PM839_2025-03-06
Contract number / Numéro de contrat	CM1904021
Contract date:	2023/02/01 -> 2026/01/31
Machine customer name:	Claire - Saturn
Assign to:	DarA
Material:	VIDEO_Tubescan_DS
Type:	TubeScan 430 CP / 318x-0.1944
SN:WA:	36.845
Installation date of material:	2023/02/13

TECHNICAL DATAS

PC MODEL	OptiPlex 3050 / Tag F0SW8M2
PC NAME	TubeScan36845
ADDITIONAL CAMERA INFO	TubeScan 430 CP / 318x-0.1944
OPERATION SYSTEM	Windows 10 Pro / 2017
MEMORY RAM	8 GB
FREE SPACE ON C	248 / 465 GB
FREE SPACE ON D	-
TEAMVIEWER ID	1 562 303 646 / v15
IP ADDRESS EXTERN FOR INTERNET	DHCP Automatic
ORIGINAL VERSION	7.2.81.120
UPGRADE OR DOWNGRADE VERSION LAST INTERVENTION	7.2.81.120 from E1894
UPG OR DNG VERSION DURING MAINTENANCE	No software upgrade recommended

Start time PM:	06/03/2025 13:30
End time PM:	06/03/2025 16:00

COMMENTS			COMMENTS		
Touch monitor calibration	✓		Fixation encoder	✓	
Touch monitor resolution		1024x768	Encoder wheel status	✓	Placed after camera
View monitor resolution		1920x1080	Encoder wheel on web?	✓	
Fixation screws of system?	✓		Spring(s) encoder status ?	✓	
Cables status ?	✓		Alarm indicator status ?	⏸	
Connectors cameras (well tight?)	✓				
PC's fans ?	⏸				
PC's filter	⏸		Installation date:		2023-02-13
Lens cleaning	✓				
Mirror cleaning	✓		Softwareworkflowcommunication	⏸	
Backing or RRB cleaining	✓	White tape spliced - Need new one	Check Teamviewer access	✓	
Lens Focal	✓		Calibration of camera detail & 100%camera	⏸	
Camera alignment with printing	✓		Operators instruction ?	✓	
Check web under camera	✓	Angled. Need Rolle Backing Bar	Screenshots	✓	
Height compensator calib	✓		ACRONIS ?	✗	No windows update
Encoder offset calib	✓		Backup application	✓	
Only with EV- LED calibrations	⏸				
Kisspoint only with 2 cameras	⏸				

Filled quantity needed for quotation:

(if fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

- ✓ ENCODER WHEEL:: 2RDHO234275
- ✓ LED Board equipped V40 L=140mm: 1ELLT256485
- ✓ LED Board equipped V40 L=160mm: 1ELLT256486
- ✓ ENCODER'S SPRING
- ✓ BACKPLATE W/B

- ✓: Checked, nothing to report / Vérifié, RAS
- ✗: Not OK, checked comment / Pas OK, vérifiez commentaires
- ⏸: Not actif / Non Actif

Comment(s)

(If fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

Suggest to add a roller backing bar.

- Physical Stripe Height = 3 -- > 2
- Global Stipe Offset = 38 -- > 41

Customer signature:

Name:

Date :

BST eltromat FRANCE signature:

Name:

Date :


jeudi 6 mars 2025 15:51:47


jeudi 6 mars 2025 15:53:27

ATTACHED PM'S FILE(S)

Picture 06032025	Screenshot 06032025
	