

BST Eltromat France SARL Impasse de la Noisette - CE402 F-91374 Verrières le Buisson Tél.: +33 1 69 20 07 41 Email: bstfrance@bst.group Web: https://www.bst.elexis.group/	CCL Package Label - Tabacco (Chilly-Mazarin) ACU231910 Mme Nina Bühlmann 3 rue Denis Papin 91380 Chilly-Mazarin France +33 6 63 75 08 72 nbuhlmann@cclind.com
--	--

Preventive reference number	PMREPORT-65_PM636_2024-04-18
Contract number / Numéro de contrat	CM1708005
Contract date:	2022/01/01 -> 2024/12/31
Machine customer name:	S27
Assign to:	CouV
Material:	VIDEO Tubescan_DS
Type:	TubeScan DS550 4000 / M2032aC 0.1388
SN-WA:	ASO090409_42.2359
Installation date of material:	2022/10/07

TECHNICAL DATAS

PC MODEL	Please fill system information
PC NAME	Please fill system information
ADDITIONAL CAMERA INFO	TubeScan DS550 4000 / M2032aC 0.1388
OPERATION SYSTEM	Please fill system information
MEMORY RAM	Please fill system information
FREE SPACE ON C	Please fill system information
FREE SPACE ON D	
TEAMVIEWER ID	1 074 214 774 / v12
IP ADDRESS EXTERN FOR INTERNET	
ORIGINAL VERSION	7.4.25.71
UPG OR DNG VERSION DURING MAINTENANCE	No software upgrade recommended

		COMMENTS			COMMENTS
Touch monitor calibration	OK		Fixation encoder	OK	
Touch monitor resolution		1024x768	Encoder wheel status	KO	
View monitor resolution		1920x1080	Encoder wheel on web?	OK	
Fixation screws of system?	OK		Spring(s) encoder status ?	OK	
Cables status ?	OK		Alarm indicator status ?	NA	
Connectors cameras (well tight?)	OK				
PC's fans ?	NA				
PC's filter	NA		Installation date:		2022-10-07
Lens cleaning	OK				
Mirror cleaning	OK		Software workflow communication	NA	
Backing or RRB cleaning	OK		Check Teamviewer access	KO	The computer is connected like the other system but there is no connection. Need to check with informatic service
Lens Focal	NA		Calibration of camera detail & 100% camera	NA	
Camera alignment with printing	OK		Operators instruction ?	NA	
Check web under camera	OK		Screenshots	OK	
Height compensator calib	NA		ACRONIS ?	NA	
Encoder offset calib	NA		Backup application	OK	
Only with EV- LED calibrations	NA				
Kisspoint only with 2 cameras	NA				

Filled quantity needed for quotation:

(if fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

- | | |
|--------------------------|---|
| ☐ | ENCODER WHEEL:: 2RDHO234275 |
| ☐ | LED Board equipped V40 L=140mm: 1ELLT256485 |
| ☐ | LED Board equipped V40 L=160mm: 1ELLT256486 |
| ☐ | ENCODER'S SPRING |
| ☐ | BACKPLATE W/B |

Comment(s)

(If fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

Customer signature:

Name:

Date :



BST eltromat FRANCE signature:

Name:

Date :


17/06/2024 11:51

BST Eltromat France SARL Impasse de la Noisette - CE402 F-91374 Verrières le Buisson Tél.: +33 1 69 20 07 41 Email: bstfrance@bst.group Web: https://www.bst.elaxis.group/	CCL Package Label - Tabacco (Chilly-Mazarin) ACU231910 Mme Nina Bühlmann 3 rue Denis Papin 91380 Chilly-Mazarin France +33 6 63 75 08 72 nbuhlmann@cclind.com
--	--

Preventive reference number	PMREPORT-66_PM631_2024-04-18
Contract number / Numéro de contrat	CM1708005
Contract date:	2022/01/01 -> 2024/12/31
Machine customer name:	S21
Assign to:	CouV
Material:	VIDEO_Tubescan_DS
Type:	TubeScan DS 430 4K / M2032C-0.1111
SN/WA:	ASO078965_42.1896
Installation date of material:	2021/09/08

TECHNICAL DATAS

PC MODEL	Optiplex 7090
PC NAME	TubeScan421896
ADDITIONAL CAMERA INFO	TubeScan DS 430 4K / M2032C-0.1111
OPERATION SYSTEM	Windows 10 pro
MEMORY RAM	16 gb
FREE SPACE ON C	147 gb
FREE SPACE ON D	
TEAMVIEWER ID	386 517 846 / v12
IP ADDRESS EXTERN FOR INTERNET	
ORIGINAL VERSION	7.4.29.78
UPG OR DNG VERSION DURING MAINTENANCE	No software upgrade recommended

	COMMENTS		COMMENTS
Touch monitor calibration	OK	Fixation encoder	OK
Touch monitor resolution	1920x1080	Encoder wheel status	OK
View monitor resolution	1920x1080	Encoder wheel on web?	OK
Fixation screws of system?	OK	Spring(s) encoder status ?	OK
Cables status ?	OK	Alarm indicator status ?	NA
Connectors cameras (well tight?)	OK		
PC's fans ?	OK		
PC's filter	NA	Installation date:	2021-09-08
Lens cleaning	OK		
Mirror cleaning	OK	Software workflow communication	NA
Backing or RRB cleaning	OK	Check Teamviewer access	OK
Lens Focal	NA	Calibration of camera detail & 100% camera	NA
Camera alignment with printing	OK	Operators instruction ?	NA
Check web under camera	OK	Screenshots	OK
Height compensator calib	NA	ACRONIS ?	NA
Encoder offset calib	NA	Backup application	OK
Only with EV- LED calibrations	NA		
Kisspoint only with 2 cameras	OK		

Filled quantity needed for quotation:

(if fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

- ☐ ENCODER WHEEL:: 2RDHO234275
- ☐ LED Board equipped V40 L=140mm: 1ELLT256485
- ☐ LED Board equipped V40 L=160mm: 1ELLT256486
- ☐ ENCODER'S SPRING
- ☐ BACKPLATE W/B

Comment(s)

(If fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

Customer signature:

Name:


Date :



BST eltromat FRANCE signature:

Name:

Date :


17/06/2024 11:50

BST Eltromat France SARL Impasse de la Noisette - CE402 F-91374 Verrières le Buisson Tél.: +33 1 69 20 07 41 Email: bstfrance@bst.group Web: https://www.bst.elexis.group/	CCL Package Label - Tabacco (Chilly-Mazarin) ACU231910 Mme Nina Bühlmann 3 rue Denis Papin 91380 Chilly-Mazarin France +33 6 63 75 08 72 nbuhlmann@cclind.com
--	--

Preventive reference number	PMREPORT-75_PM630_2024-04-23
Contract number / Numéro de contrat	CM1708005
Contract date:	2022/01/01 -> 2024/12/31
Machine customer name:	511 Back
Assign to:	CouV
Material:	VIDEO_Tubescan_DS
Type:	TubeScan DS 550 4000 / M2032aC-0.1388
SN-WA:	ASO068787_42.1534
Installation date of material:	2020/09/16

TECHNICAL DATAS

PC MODEL	Please fill system information
PC NAME	Please fill system information
ADDITIONAL CAMERA INFO	TubeScan DS 550 4000 / M2032aC-0.1388
OPERATION SYSTEM	Please fill system information
MEMORY RAM	Please fill system information
FREE SPACE ON C	Please fill system information
FREE SPACE ON D	
TEAMVIEWER ID	359 265 176 / v12
IP ADDRESS EXTERN FOR INTERNET	
ORIGINAL VERSION	7.4.29.78
UPG OR DNG VERSION DURING MAINTENANCE	No software upgrade recommended

	COMMENTS		COMMENTS
Touch monitor calibration	OK	Fixation encoder	OK
Touch monitor resolution	1024x768	Encoder wheel status	OK
View monitor resolution	1920x1080	Encoder wheel on web?	OK
Fixation screws of system?	OK	Spring(s) encoder status ?	OK
Cables status ?	OK	Alarm indicator status ?	OK
Connectors cameras (well tight?)	OK		
PC's fans ?	OK		
PC's filter	NA	Installation date:	2020-09-16
Lens cleaning	OK		
Mirror cleaning	OK	Software workflow communication	NA
Backing or RRB cleaning	OK	Check Teamviewer access	OK
Lens Focal	NA	Calibration of camera detail & 100% camera	NA
Camera alignment with printing	OK	Operators instruction ?	NA
Check web under camera	OK	Screenshots	OK
Height compensator calib	OK	ACRONIS ?	NA
Encoder offset calib	OK	Backup application	OK
Only with EV- LED calibrations	NA		
Kisspoint only with 2 cameras	NA		

Filled quantity needed for quotation:

(if fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

- ☐ ENCODER WHEEL:: 2RDHO234275
- ☐ LED Board equipped V40 L=140mm: 1ELLT256485
- ☐ LED Board equipped V40 L=160mm: 1ELLT256486
- ☐ ENCODER'S SPRING
- ☐ BACKPLATE W/B

Comment(s)

(If fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

Customer signature:

Name:

Date :

BST eltromat FRANCE signature:

Name:

Date :



17/06/2024 11:50

Comment(s)

(If fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

Customer signature:


Name:

Date :

BST eltromat FRANCE signature:

Name:

Date :


17/06/2024 11:50

Filled quantity needed for quotation:

(If fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

- ☐ ENCODER WHEEL:: 2RDHO234275
- ☐ LED Board equipped V40 L=140mm: 1ELLT256485
- ☐ LED Board equipped V40 L=160mm: 1ELLT256486
- ☐ ENCODER'S SPRING
- ☐ BACKPLATE W/B

BST Eltromat France SARL Impasse de la Noisette - CE402 91374 Verrières le Buisson Tél.: +33 1 69 20 07 41 Email: bstfrance@bst.group Web: https://www.bst.elexis.group/	CCL Package Label - Tabacco (Chilly-Mazarin) ACU231910 Mme Nina Bühlmann 3 rue Denis Papin 91380 Chilly-Mazarin France +33 6 63 75 08 72 nbuhlmann@cclind.com
--	--

Preventive reference number	PMREPORT-76_PM629_2024-04-23
Contract number / Numéro de contrat	CM1708005
Contract date:	2022/01/01 -> 2024/12/31
Machine customer name:	511 Front
Assign to:	CouV
Material:	VIDEO_Tubescan_DS
Type:	TubeScan DS 550 HR1 / M2051C-0.2222
SN-WA:	ASO073562_42.1631
Installation date of material:	2021/01/08

TECHNICAL DATAS

PC MODEL	Please fill system information
PC NAME	Please fill system information
ADDITIONAL CAMERA INFO	TubeScan DS 550 HR1 / M2051C-0.2222
OPERATION SYSTEM	Please fill system information
MEMORY RAM	Please fill system information
FREE SPACE ON C	Please fill system information
FREE SPACE ON D	
TEAMVIEWER ID	687 403 186 / v15
IP ADDRESS EXTERN FOR INTERNET	
ORIGINAL VERSION	7.4.29.78
UPG OR DNG VERSION DURING MAINTENANCE	No software upgrade recommended

	COMMENTS		COMMENTS
Touch monitor calibration	OK	Fixation encoder	OK
Touch monitor resolution	1024x768	Encoder wheel status	OK
View monitor resolution	1920x1080	Encoder wheel on web?	OK
Fixation screws of system?	OK	Spring(s) encoder status ?	OK
Cables status ?	OK	Alarm indicator status ?	OK
Connectors cameras (well tight?)	OK		
PC's fans ?	OK		
PC's filter	OK	Installation date:	2021-01-08
Lens cleaning	OK		
Mirror cleaning	OK	Software workflow communication	NA
Backing or RRB cleaning	OK	Check Teamviewer access	OK
Lens Focal	NA	Calibration of camera detail & 100% camera	NA
Camera alignment with printing	OK	Operators instruction ?	NA
Check web under camera	NA	Screenshots	OK
Height compensator calib	OK	ACRONIS ?	NA
Encoder offset calib	NA	Backup application	OK
Only with EV- LED calibrations	NA		
Kisspoint only with 2 cameras	NA		

BST Eltromat France SARL Impasse de la Noisette - CE402 F-91374 Verrières le Buisson Tél.: +33 1 69 20 07 41 Email: bstfrance@bst.group Web: https://www.bst.elexis.group/	CCL Package Label - Tabacco (Chilly-Mazarin) ACU231910 Mme Nina Bühlmann 3 rue Denis Papin 91380 Chilly-Mazarin France +33 6 63 75 08 72 nbuhlmann@cclind.com
---	---

Ticket number:	E2093
Customer order:	
Machine customer name:	QLink Editor Station
Tiket type:	SERVICE_INSTRUCTION
Assign to:	CouV -> vivien.Coutellier@bst.group
Ticket date:	2024/05/17
Material:	VIDEO_QLINK_EDITOR
Type:	QLink Editor Station
SN/WA:	ASO104008
Installation date of material:	2024/03/10
Teamviewer:	744 443 951
PC model:	Optiplex 7090
Original Application Version	7.4.60.22448

5 day(s) of intervention calculation

2024 / 2024	Mon. 13/05	Tue. 14/05	Wed. 15/05	Thu. 16/05	Fri. 17/05
Drive time	0.5	0.5	0.5	0.5	0.5
AM Start	09:00	07:00	09:00	09:00	07:00
AM End	12:30	12:30	12:30	12:30	12:00
PM Start	13:30	13:00	13:30	13:30	13:00
PM End	19:30	17:00	18:00	19:30	14:00
Drive time	0.5	0.5	0.5	0.5	0.5

Start date of intervention	2024/05/13-09:00
End date of intervention	2024/05/17-14:00
Reason:	
Actions:	
Remarks:	
Ticket status:	open

Comment(s)

(If fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

Customer signature:

Name: **Beaumont Avmeric**
Date: **17/05/2025**



BST eltromat FRANCE signature:

Name: **Coutellier Vivien**
Date:


16/01/2025 18:20

BST Eltromat France SARL Impasse de la Noisette - CE402 F-91374 Verrières le Buisson Tél.: +33 1 69 20 07 41 Email: bstfrance@bst.group Web: https://www.bst.elexis.group/	CCL Package Label - Pharma (Chilly-Mazarin) ACU231910 M. Jean-Charles Campana 20 Avenue Arago 91380 Chilly-Mazarin France +33 7 63 04 72 66 jccampana@colind.com
--	---

Preventive reference number	PMREPORT-73_PM627_2024-04-23
Contract number / Numéro de contrat	CM1708005
Contract date:	2022/01/01 -> 2024/12/31
Machine customer name:	Presse 285
Assign to:	CouV
Material:	VIDEO_Tubescan_DS
Type:	TubeScan DS 330 4K / BF3-M2-0.0833
SN-WA:	ASO058488_40.1209
Installation date of material:	2019/08/19

TECHNICAL DATAS

PC MODEL	5060
PC NAME	TUBESCAN401209
ADDITIONAL CAMERA INFO	TubeScan DS 330 4K / BF3-M2-0.0833
OPERATION SYSTEM	Windows 10
MEMORY RAM	16 gb
FREE SPACE ON C	168 gb
FREE SPACE ON D	
TEAMVIEWER ID	770 754 848 / v12
IP ADDRESS EXTERN FOR INTERNET	
ORIGINAL VERSION	7.4.44.111
UPG OR DNG VERSION DURING MAINTENANCE	No software upgrade recommended

COMMENTS		COMMENTS	
Touch monitor calibration	OK	Fixation encoder	OK
Touch monitor resolution	720p	Encoder wheel status	KO
View monitor resolution	1080p	Encoder wheel on web?	OK
Fixation screws of system?	OK	Spring(s) encoder status ?	OK
Cables status ?	OK	Alarm indicator status ?	OK
Connectors cameras (well tight?)	OK		
PC's fans ?	OK		
PC's filter	OK	Installation date:	2019-08-19
Lens cleaning	OK		
Mirror cleaning	OK	Software workflow communication	NA
Backing or RRB cleaning	OK	Check Teamviewer access	OK
Lens Focal	NA	Calibration of camera detail & 100% camera	OK
Camera alignment with printing	OK	Operators instruction ?	NA
Check web under camera	OK	Screenshots	OK
Height compensator calib	OK	ACRONIS ?	NA
Encoder offset calib	OK	Backup application	OK
Only with EV-LED calibrations	NA		
Kisspoint only with 2 cameras	NA		

Filled quantity needed for quotation:

(if fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

- ☐ ENCODER WHEEL:: 2RDHO234275
- ☐ LED Board equipped V40 L=140mm: 1ELLT256485
- ☐ LED Board equipped V40 L=160mm: 1ELLT256486
- ☐ ENCODER'S SPRING
- ☐ BACKPLATE W/B

Comment(s)

(If fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

Customer signature:

Name:


Date :



BST eltromat FRANCE signature:

Name:

Date :


17/06/2024 11:49

BST Eltromat France SARL Impasse de la Noisette - CE402 F-91374 Verrières le Buisson Tél.: +33 1 69 20 07 41 Email: bstfrance@bst.group Web: https://www.bst.elexis.group/	CCL Package Label - Pharma (Chilly-Mazarin) ACU231910 M. Jean-Charles Campana 20 Avenue Arago 91380 Chilly-Mazarin France +33 7 63 04 72 66 jccampana@cclind.com
---	--

Ticket number:	E2208
Customer order:	CDE CLIENT 112179
Machine customer name:	Press 445
AR:	
Tiket type:	INSTALLATION
Assign to:	CouV -> vivien.Coutellier@bst.group
Ticket date:	2024/09/05
Material:	VIDEO_Tubescan_DS
Type:	TubeScan DS 430 4K /
SN_WA:	ASO104166_50.2873
Installation date of material:	
Teamviewer:	
PC model:	
Original Application Version	

11 day(s) of intervention calculation

2024 / 2024	Mon.21/10	Tue.22/10	Wed.23/10	Thu.24/10	Fri.25/10	Sat.26/10	Sun.27/10
Drive time	0.5	0.5					
AM Start	09:00	09:00					
AM End	12:30	12:30					
PM Start	13:00	13:30					
PM End	18:30						
Drive time	0.5	0.5					

2024 / 2024	Mon.28/10	Tue.29/10	Wed.30/10	Thu.31/10
Drive time				0.5
AM Start				09:30
AM End				
PM Start				
PM End				12:00
Drive time				0.5

Start date of intervention	2024/10/21-09:00
End date of intervention	2024/10/31-12:00
Reason:	Support Mécanique & Rouleaux + Installation
Actions:	Ok après une seconde visite pour réglages et mise en place des éléments manquants. Support écran à installer en interne par la maintenance ou lors de la prochaine visite de maintenance préventive.
Solution:	
Remarks:	Pas d'acompte.
Ticket status:	open

Comment(s)

(If fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

Customer signature:

Name:

Date :



BST eltromat FRANCE signature:

Name:

Date :


16/01/2025 10:21

Offre 240725-0162 CDE CLIENT 112179

Offre 240725-0162	CDE CLIENT 112179

BST Eltromat France SARL Impasse de la Noisette - CE402 F-91374 Vernières le Buisson Tél.: +33 1 69 20 07 41 Email: bstfrance@bst.group Web: https://www.bst.elexis.group/	CCL Package Label - Pharma (Chilly-Mazarin) ACU231910 M. Jean-Charles Campana 20 Avenue Arago 91380 Chilly-Mazarin France +33 7 63 04 72 66 jccampana@cclind.com
---	--

Ticket number:	E2208
Customer order:	CDE CLIENT 112179
Machine customer name:	Press 445
AR:	
Ticket type:	INSTALLATION
Assign to:	CouV -> vivien.Coutellier@bst.group
Ticket date:	2024/09/05
Material:	VIDEO_Tubescan_DS
Type:	TubeScan DS 430 4K /
SN.WA:	ASQ104166_50.2873
Installation date of material:	
Teamviewer:	
PC model:	
Original Application Version:	

2 day(s) of intervention calculation

2024 / 2024	Mon. 21/10	Tue. 22/10
Drive time	0.5	0.5
AM Start	09:00	09:00
AM End	12:30	12:30
PM Start	13:00	13:30
PM End	18:30	18:00
Drive time	0.5	0.5

Start date of intervention	2024/10/21-09:00
End date of intervention	2024/10/22-18:00
Reason:	Support Mécanique & Rouleaux + Installation
Actions:	Machine arrêté, pas d'alignement des rouleaux avec la matière. Prévoir une seconde visite pour réglages et mise en place des éléments manquants.
Solution:	
Remarks:	Pas d'acompte.
Ticket status:	open


Comment(s)

(If fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

Customer signature:

Name: **Beaumont Avmeric**


Date : **12/01/2025**



BST eltromat FRANCE signature:

Name: **Coutellier Vivien**

Date : **16/01/2023 10:21**


16/01/2023 10:21

ATTACHED CALL'S FILE(S)

Offre 240725-0162		CDE CLIENT 112179	

BST Eltromat France SARL Impasse de la Noisette - CE402 F-91374 Verrières le Buisson Tél.: +33 1 69 20 07 41 Email: bstfrance@bst.group Web: https://www.bst.elexis.group/	CCL Package Label - Pharma (Chilly-Mazarin) ACU231910 M. Jean-Charles Campana 20 Avenue Arago 91380 Chilly-Mazarin France +33 7 63 04 72 66 jccampana@cclind.com
--	---

Preventive reference number	PMREPORT-178_PM782_2024-12-12
Contract number / Numéro de contrat	CM1708005
Contract date	2022/01/01 -> 2024/12/31
Machine customer name	Presse 442
Assign to	CouV
Material	VIDEO_Tubescan_DS
Type	TubeScan DS 430 4K / BF3-M2-0.1111
SN-WA	ASO058484_40.1192
Installation date of material	2019/06/28

TECHNICAL DATAS

PC MODEL	5060
PC NAME	TUBESCAN401192
ADDITIONAL CAMERA INFO	TubeScan DS 430 4K / BF3-M2-0.1111
OPERATION SYSTEM	Windows 10 pro
MEMORY RAM	16 gb
FREE SPACE ON C	189 gb
FREE SPACE ON D	
TEAMVIEWER ID	769 908 220 / v12
IP ADDRESS EXTERN FOR INTERNET	
ORIGINAL VERSION	7.4.44.111
UPG OR DNG VERSION DURING MAINTENANCE	No software upgrade recommended

Start time PM:	12/12/2024 08:30
End time PM:	12/12/2024 10:30

COMMENTS			COMMENTS		
Touch monitor calibration	✓		Fixation encoder	✓	
Touch monitor resolution		1080p	Encoder wheel status	✓	
View monitor resolution		1080p	Encoder wheel on web?	✓	
Fixation screws of system?	✓		Spring(s) encoder status ?	✓	
Cables status ?	✓		Alarm indicator status ?	✓	
Connectors cameras (well tight?)	✓				
PC's fans ?	✓				
PC's filter	II		Installation date:		2019-06-28
Lens cleaning	✓				
Mirror cleaning	II		Software workflow communication	II	
Backing or RRB cleaning	✓		Check Teamviewer access	II	Cable réseau retiré
Lens Focal	II		Calibration of camera detail & 100% camera	II	
Camera alignment with printing	✓		Operators instruction ?	✓	
Check web under camera	✓		Screenshots	✓	
Height compensator calib	✓		ACRONIS ?	II	
Encoder offset calib	✓		Backup application	✓	
Only with EV- LED calibrations	II				
Kisspoint only with 2 cameras	II				

Filled quantity needed for quotation:

(if fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

- ☐ ENCODER WHEEL:: 2RDHO234275
- ☐ LED Board equipped V40 L=140mm: 1ELLT256485
- ☐ LED Board equipped V40 L=160mm: 1ELLT256486
- ☐ ENCODER'S SPRING
- ☐ BACKPLATE W/B

- ☒ : Checked, nothing to report / Vérifié, RAS
- ☒ : Not OK, checked comment / Pas OK, vérifiez commentaires
- ☐ : Not actif / Non Actif

Comment(s)

(if fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

Probleme de connexion de l'écran tactile en displayport, remplacement par un cable HDMI.

Customer signature:

Name:

Date:

BST eltromat FRANCE signature:

Name:

Date:




16/01/2025 15:24

BST Eltromat France SARL Impasse de la Noisette - CE402 F-91374 Verrières le Buisson Tél.: +33 1 69 20 07 41 Email: bstfrance@bst.group Web: https://www.bst.elexis.group/	CCL Package Label - Pharma (Chilly-Mazarin) ACU231910 M. Jean-Charles Campana 20 Avenue Arago 91380 Chilly-Mazarin France +33 7 63 04 72 66 jccampana@cclind.com
--	---

Preventive reference number	PMREPORT-72_PM628_2024-04-23
Contract number / Numéro de contrat	CM1708005
Contract date:	2022/01/01 -> 2024/12/31
Machine customer name:	Presse 441
Assign to:	CouV
Material:	VIDEO_Tubescan_DS
Type:	TubeScan DS 430 4K / BF3-M2-0.1111
SN-WA:	ASO042694_30.011
Installation date of material:	2018/02/01

TECHNICAL DATAS

PC MODEL	5050
PC NAME	TUBESCAN38811
ADDITIONAL CAMERA INFO	TubeScan DS 430 4K / BF3-M2-0.1111
OPERATION SYSTEM	Windows 10 pro
MEMORY RAM	16 gb
FREE SPACE ON C	383 gb
FREE SPACE ON D	
TEAMVIEWER ID	1 695 667 268 / v12
IP ADDRESS EXTERN FOR INTERNET	
ORIGINAL VERSION	7.4.44.111
UPG OR DNG VERSION DURING MAINTENANCE	No software upgrade recommended

COMMENTS		COMMENTS	
Touch monitor calibration	OK	Fixation encoder	OK
Touch monitor resolution	1024x768	Encoder wheel status	OK
View monitor resolution	1920x1080	Encoder wheel on web?	OK
Fixation screws of system?	OK	Spring(s) encoder status ?	OK
Cables status ?	OK	Alarm indicator status ?	OK
Connectors cameras (well tight?)	OK		
PC's fans ?	OK		
PC's filter	NA	Installation date:	2018-02-01
Lens cleaning	OK		
Mirror cleaning	OK	Software workflow communication	NA
Backing or RRB cleaning	OK	Check Teamviewer access	OK
Lens Focal	NA	Calibration of camera detail & 100% camera	NA
Camera alignment with printing	OK	Operators instruction ?	NA
Check web under camera	OK	Screenshots	OK
Height compensator calib	NA	ACRONIS ?	NA
Encoder offset calib	OK	Backup application	OK
Only with EV- LED calibrations	NA		
Kisspoint only with 2 cameras	NA		

Filled quantity needed for quotation:

(if fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

- ☐ ENCODER WHEEL:: 2RDHO234275
- ☐ LED Board equipped V40 L=140mm: 1ELLT256485
- ☐ LED Board equipped V40 L=160mm: 1ELLT256486
- ☐ ENCODER'S SPRING
- ☐ BACKPLATE W/B

Comment(s)

(If fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

Customer signature:

Name: **Beaumont Avmeric**

Date : **17/04/2024**



BST eltromat FRANCE signature:

Name: **Coutellier Vivien**

Date :


17/06/2024 11:49



BST Eltromat France SARL Impasse de la Noisette - CE402 F-91374 Verrières le Buisson Tél.: +33 1 69 20 07 41 Email: bstfrance@bst.group Web: https://www.bst-elxis.group/	CCL Package Label - Pharma (Chilly-Mazarin) ACU231910 M. Jean-Charles Campana 20 Avenue Arago 91380 Chilly-Mazarin France +33 7 63 04 72 66 jccampana@cclind.com
--	---

Preventive reference number	PMREPORT-180_PM781_2024-12-12
Contract number / Numéro de contrat	CM1708005
Contract date:	2022/01/01 -> 2024/12/31
Machine customer name:	Presse 441
Assign to:	CouV
Material:	VIDEO_Tubescan_DS
Type:	TubeScan DS 430 4K / BF3-M2-0.1111
SN/WA:	ASO042694_38.811
Installation date of material:	2018/02/01

TECHNICAL DATAS

PC MODEL	5050
PC NAME	TUBESCAN38811
ADDITIONAL CAMERA INFO	TubeScan DS 430 4K / BF3-M2-0.1111
OPERATION SYSTEM	Windows 10 pro
MEMORY RAM	16 gb
FREE SPACE ON C	383 gb
FREE SPACE ON D	
TEAMVIEWER ID	1 695 667 268 / v12
IP ADDRESS EXTERN FOR INTERNET	
ORIGINAL VERSION	7.4.44.111
UPG OR DNG VERSION DURING MAINTENANCE	No software upgrade recommended

Start time PM:	08/12/2024 15:30
End time PM:	11/12/2024 17:30

COMMENTS			COMMENTS		
Touch monitor calibration	II		Fixation encoder	✓	
Touch monitor resolution		1024x768	Encoder wheel status	✓	Remplacement de la roue codeuse
View monitor resolution		1920x1080	Encoder wheel on web?	✓	
Fixation screws of system?	✓		Spring(s) encoder status ?	✓	Remplacement des ressorts
Cables status ?	✓		Alarm indicator status ?	✓	
Connectors cameras (well tight?)	✓				
PC's fans ?	✓				
PC's filter	II		Installation date:		2018-02-01
Lens cleaning	✓				
Mirror cleaning	✓		Software workflow communication	II	
Backing or RRB cleaning	✓		Check Teamviewer access	✗	
Lens Focal	II		Calibration of camera detail & 100% camera	II	
Camera alignment with printing	✓		Operators instruction ?	✓	
Check web under camera	✓		Screenshots	✓	
Height compensator calib	✓		ACRONIS ?	II	
Encoder offset calib	✓		Backup application	✓	
Only with EV- LED calibrations	II				
Kisspoint only with 2 cameras	II				

Filled quantity needed for quotation:

(If fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

- ☐ ENCODER WHEEL:: 2RDHO234275
- ☐ LED Board equipped V40 L=140mm: 1ELLT256485
- ☐ LED Board equipped V40 L=160mm: 1ELLT256486
- ☐ ENCODER'S SPRING
- ☐ BACKPLATE W/B

- ☒ : Checked, nothing to report / Vérifié, RAS
- ☒ : Not OK, checked comment / Pas OK, vérifiez commentaires
- ☐ : Not actif / Non Actif

Comment(s)


(If fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

Customer signature:

Name:
Date :

BST eltromat FRANCE signature:

Name:
Date :



16/01/2025 10:23

BST Eltromat France SARL Impasse de la Noisette - CE402 F-91374 Verrières le Buisson Tél.: +33 1 69 20 07 41 Email: bstfrance@bst.group Web: https://www.bst-elxis.group/	CCL Package Label - Pharma (Chilly-Mazarin) ACU231910 M. Jean-Charles Campana 20 Avenue Arago 91380 Chilly-Mazarin France +33 7 63 04 72 66 jccampana@cclind.com
--	---

Preventive reference number	PMREPORT-74_PM624_2024-04-23
Contract number / Numéro de contrat	CM1708005
Contract date:	2022/01/01 -> 2024/12/31
Machine customer name:	Presse 443
Assign to:	CouV
Material:	VIDEO_Tubescan_DS
Type:	TubeScan DS 430 4K / M2089aC0.1111
SN-WA:	ASO071778_42.1585
Installation date of material:	

TECHNICAL DATAS

PC MODEL	5070
PC NAME	TUBESCAN421585
ADDITIONAL CAMERA INFO	TubeScan DS 430 4K / M2089aC0.1111
OPERATION SYSTEM	Windows 10 pro
MEMORY RAM	16 gb
FREE SPACE ON C	159 gb
FREE SPACE ON D	
TEAMVIEWER ID	631 030 314 / v12
IP ADDRESS EXTERN FOR INTERNET	
ORIGINAL VERSION	7.4.44.111
UPG OR DNG VERSION DURING MAINTENANCE	No software upgrade recommended

COMMENTS		COMMENTS	
Touch monitor calibration	OK	Fixation encoder	OK
Touch monitor resolution	1024x768	Encoder wheel status	OK
View monitor resolution	1920x1080	Encoder wheel on web?	OK
Fixation screws of system?	OK	Spring(s) encoder status ?	OK
Cables status ?	OK	Alarm indicator status ?	OK
Connectors cameras (well tight?)	OK		
PC's fans ?	OK		
PC's filter	NA	Installation date:	
Lens cleaning	OK		
Mirror cleaning	OK	Software workflow communication	NA
Backing or RRB cleaning	OK	Check Teamviewer access	OK
Lens Focal	NA	Calibration of camera detail & 100% camera	NA
Camera alignment with printing	OK	Operators instruction ?	NA
Check web under camera	KO	Screenshots	OK
Height compensator calib	NA	ACRONIS ?	NA
Encoder offset calib	OK	Backup application	OK
Only with EV- LED calibrations	OK		
Kisspoint only with 2 cameras	NA		

Filled quantity needed for quotation:

(if fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

- ☐ ENCODER WHEEL:: 2RDHO234275
- ☐ LED Board equipped V40 L=140mm: 1ELLT256485
- ☐ LED Board equipped V40 L=160mm: 1ELLT256486
- ☐ ENCODER'S SPRING
- ☐ BACKPLATE W/B

Comment(s)

(If fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

Customer signature:

Name:

Date :

BST eltromat FRANCE signature:

Name:

Date :


17/06/2024 11:48

REPORT OF THE COMMISSIONERS OF THE LAND OFFICE
IN RESPONSE TO A RESOLUTION PASSED BY THE SENATE
JANUARY 12, 1910

REPORT OF THE COMMISSIONERS OF THE LAND OFFICE

IN RESPONSE TO A RESOLUTION PASSED BY THE SENATE
JANUARY 12, 1910

REPORT OF THE COMMISSIONERS OF THE LAND OFFICE

IN RESPONSE TO A RESOLUTION PASSED BY THE SENATE
JANUARY 12, 1910

[Handwritten signature]

[Handwritten signature]

BST Eltromat France SARL Impasse de la Noisette - CE402 F-91374 Verrières le Buisson Tél.: +33 1 69 20 07 41 Email: bstfrance@bst.group Web: https://www.bst-eltris.group/	CCL Package Label - Pharma (Chilly-Mazarin) ACU231910 M. Jean-Charles Campana 20 Avenue Arago 91380 Chilly-Mazarin France +33 7 63 04 72 66 jccampana@cclind.com
--	---

Preventive reference number	PMREPORT-181_PM783_2024-12-12
Contract number / Numéro de contrat	CM1708005
Contract date:	2022/01/01 -> 2024/12/31
Machine customer name:	Presse 443
Assign to:	DarA
Material:	VIDEO_Tubescan_DS
Type:	TubeScan DS 430 4K / M2089aC0.1111
SN-WA:	ASO071778_42.1585
Installation date of material:	

TECHNICAL DATAS

PC MODEL	5070
PC NAME	TUBESCAN421585
ADDITIONAL CAMERA INFO	TubeScan DS 430 4K / M2089aC0.1111
OPERATION SYSTEM	Windows 10 pro
MEMORY RAM	16 gb
FREE SPACE ON C	159 gb
FREE SPACE ON D	
TEAMVIEWER ID	631 030 314 / v12
IP ADDRESS EXTERN FOR INTERNET	
ORIGINAL VERSION	7.4.44.111
UPG OR DNG VERSION DURING MAINTENANCE	No software upgrade recommended

Start time PM:	12/12/2024 10:30
End time PM:	12/12/2024 12:30

	COMMENTS		COMMENTS
Touch monitor calibration		Fixation encoder	✓
Touch monitor resolution	1024x768	Encoder wheel status	✓
View monitor resolution	1920x1080	Encoder wheel on web?	✓
Fixation screws of system?	✓	Spring(s) encoder status ?	✓
Cables status ?	✓	Alarm indicator status ?	✓
Connectors cameras (well tight?)	✓		
PC's fans ?	✓		
PC's filter		Installation date:	
Lens cleaning	✓		
Mirror cleaning	✓	Software workflow communication	
Backing or RRB cleaning	✓	Check Teamviewer access	✓
Lens Focal		Calibration of camera detail & 100% camera	
Camera alignment with printing	✓	Operators instruction ?	
Check web under camera	✓	Screenshots	✓
Height compensator calib	✓	ACRONIS ?	
Encoder offset calib	✓	Backup application	✓
Only with EV- LED calibrations			
Kisspoint only with 2 cameras			

Filled quantity needed for quotation:

(If fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

- | | |
|--------------------------|---|
| ☐ | ENCODER WHEEL:: 2RDHO234275 |
| ☐ | LED Board equipped V40 L=140mm: 1ELLT256485 |
| ☐ | LED Board equipped V40 L=160mm: 1ELLT256486 |
| ☐ | ENCODER'S SPRING |
| ☐ | BACKPLATE W/B |

- ☒ : Checked, nothing to report / Vérifié, RAS
☒ : Not OK, checked comment / Pas OK, vérifiez commentaires
☐ : Not actif / Non Actif


Comment(s)

(If fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

Customer signature:

Name: **Beaumont Avmeric**

Date: **17/01/2025**



BST eltromat FRANCE signature:

Name: **Coutellier Vivien**

Date: **16/01/2025 10:11**


16/01/2025 10:11

BST Eltromat France SARL Impasse de la Noisette - CE402 F-91374 Verrières le Buisson Tél.: +33 1 69 20 07 41 Email: bstfrance@bst.group Web: https://www.bst.elaxis.group/	CCL Package Label - Pharma (Chilly-Mazarin) ACU231910 M. Jean-Charles Campana 20 Avenue Arago 91380 Chilly-Mazarin France +33 7 63 04 72 66 jccampana@cclind.com
--	---

Preventive reference number	PMREPORT-70_PM625_2024-04-23
Contract number / Numéro de contrat	CM1708005
Contract date	2022/01/01 -> 2024/12/31
Machine customer name	Presse 283
Assign to	CouV
Material	VIDEO_Tubescan_DS
Type	TubeScan DS 330 4K / BF3-M2-0.0833
SN-WA	ASO040399_38.772
Installation date of material	2017/11/06

TECHNICAL DATAS

PC MODEL	3050
PC NAME	TUBESCAN38772
ADDITIONAL CAMERA INFO	TubeScan DS 330 4K / BF3-M2-0.0833
OPERATION SYSTEM	Windows 10 pro
MEMORY RAM	16 gb
FREE SPACE ON C	383 gb
FREE SPACE ON D	
TEAMVIEWER ID	491 858 976 / v12
IP ADDRESS EXTERN FOR INTERNET	
ORIGINAL VERSION	7.4.44.111
UPG OR DNG VERSION DURING MAINTENANCE	No software upgrade recommended

COMMENTS		COMMENTS	
Touch monitor calibration	OK	Fixation encoder	OK
Touch monitor resolution	1024x768	Encoder wheel status	KO need to replace the wheel
View monitor resolution	1920x1080	Encoder wheel on web?	OK
Fixation screws of system?	OK	Spring(s) encoder status ?	OK
Cables status ?	OK	Alarm indicator status ?	OK
Connectors cameras (well tight?)	KO		
PC's fans ?	OK		
PC's filter	OK	Installation date:	2017-11-06
Lens cleaning	OK		
Mirror cleaning	OK	Software workflow communication	NA
Backing or RRB cleaning	OK	Check Teamviewer access	KO
Lens Focal	NA	Calibration of camera detail & 100% camera	NA
Camera alignment with printing	OK	Operators instruction ?	NA
Check web under camera	OK	Screenshots	OK
Height compensator calib	OK	ACRONIS ?	NA
Encoder offset calib	OK	Backup application	OK
Only with EV- LED calibrations	NA		
Kisspoint only with 2 cameras	NA		

Filled quantity needed for quotation:

(if fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

- ☐ ENCODER WHEEL:: 2RDHO234275
- ☐ LED Board equipped V40 L=140mm: 1ELLT256485
- ☐ LED Board equipped V40 L=160mm: 1ELLT256486
- ☐ ENCODER'S SPRING
- ☐ BACKPLATE W/B

Comment(s)

(If fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

Customer signature:

Name: **Beaumont Aymeric**

Date: **17/06/2024**

BST eltromat FRANCE signature:

Name: **Coutellier Vivien**

Date:



17/06/2024 11:48

PLANT SPECIES	
COUNTRY	
LOCALITY	
COLLECTOR	
DATE	
PLANT PARTS	
SPECIES	
VARIETY	
SUBVARIETY	
FORM	
COLOR	
SMELL	
TASTE	
REMARKS	
DRAWING	

BST Eltromat France SARL Impasse de la Noisette - CE402 F-91374 Verrières le Buisson Tél.: +33 1 69 20 07 41 Email: bstfrance@bst.group Web: https://www.bst.elexis.group/	CCL Package Label - Pharma (Chilly-Mazarin) ACU231910 M. Jean-Charles Campana 20 Avenue Arago 91380 Chilly-Mazarin France +33 7 63 04 72 66 jccampana@cclind.com
--	---

Preventive reference number	PMREPORT-182_PM779_2024-12-12
Contract number / Numéro de contrat	CM1708005
Contract date:	2022/01/01 -> 2024/12/31
Machine customer name:	Presse 283
Assign for	CauV
Material:	VIDEO_Tubescan_DS
Type:	TubeScan DS 330 4K / BF3-M2-0.0833
SN-WA:	ASO040399_38.772
Installation date of material:	2017/11/06

TECHNICAL DATAS

PC MODEL	3050
PC NAME	TUBESCAN38772
ADDITIONAL CAMERA INFO	TubeScan DS 330 4K / BF3-M2-0.0833
OPERATION SYSTEM	Windows 10 pro
MEMORY RAM	16 gb
FREE SPACE ON C	383 gb
FREE SPACE ON D	
TEAMVIEWER ID	491 858 976 / v12
IP ADDRESS EXTERN FOR INTERNET	
ORIGINAL VERSION	7.4.44.111
UPG OR DNG VERSION DURING MAINTENANCE	No software upgrade recommended

Start time PM:	11/12/2024 10:30
End time PM:	08/12/2024 12:30

COMMENTS			COMMENTS		
Touch monitor calibration			Fixation encoder	✓	
Touch monitor resolution		1024x768	Encoder wheel status	✗	need to be changed
View monitor resolution		1920x1080	Encoder wheel on web?	✓	
Fixation screws of system?	✓		Spring(s) encoder status ?	✓	
Cables status ?	✓		Alarm indicator status ?	✓	
Connectors cameras (well light?)	✓				
PC's fans ?	✓				
PC's filter			Installation date:		2017-11-06
Lens cleaning	✓				
Mirror cleaning	✓		Software workflow communication		
Backing or RRB cleaning	✓		Check Teamviewer access	✗	
Lens Focal			Calibration of camera detail & 100% camera		
Camera alignment with printing	✓		Operators instruction ?	✓	
Check web under camera	✓		Screenshots	✓	
Height compensator calib	✓		ACRONIS ?		
Encoder offset calib	✓		Backup application	✓	
Only with EV- LED calibrations					
Kisspoint only with 2 cameras					

Filled quantity needed for quotation:

(if fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

- | | |
|--------------------------|---|
| ☐ | ENCODER WHEEL:: 2RDHO234275 |
| ☐ | LED Board equipped V40 L=140mm: 1ELLT256485 |
| ☐ | LED Board equipped V40 L=160mm: 1ELLT256486 |
| ☐ | ENCODER'S SPRING |
| ☐ | BACKPLATE W/B |

✓: Checked, nothing to report / Vérifié, RAS

✗: Not OK, checked comment / Pas OK, vérifiez commentaires

ⓘ: Not actif / Non Actif

Comment(s)

(if fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

Customer signature:

Name: **Beaumont Aymeric**

Date: **17/01/2025**

BST eltromat FRANCE signature:

Name: **Coutellier Vivien**

Date:




6/01/2025 10:23

BST Eltromat France SARL
 Impasse de la Noisette - CE402
 F-91374 Verrières le Buisson
 Tél.: +33 1 69 20 07 41
 Email: bstfrance@bst.group
 Web: <https://www.bst.elexis.group/>

CCL Package Label - Pharma (Chilly-Mazarin)

ACU231910
 M. Jean-Charles Campana
 20 Avenue Arago
 91380
 Chilly-Mazarin
 France
 +33 7 63 04 72 66
 jccampana@eclind.com

Preventive reference number	PMREPORT-183_PM778_2024-12-12
Contract number / Numéro de contrat	CM1708005
Contract date:	2022/01/01 -> 2024/12/31
Machine customer name:	Digicon 330
Assign to:	CouV
Material:	VIDEO_Tubescan_DS
Type:	TubeScan DS 330 4000 /M2032ac/0.0833
SN-WA:	ASO091757_50.2387
Installation date of material:	2023/04/06

TECHNICAL DATAS

PC MODEL	7090
PC NAME	TUBESCAN502387
ADDITIONAL CAMERA INFO	TubeScan DS 330 4000 /M2032ac/0.0833
OPERATION SYSTEM	Windows 10 pro
MEMORY RAM	16 gb
FREE SPACE ON C	170 gb
FREE SPACE ON D	
TEAMVIEWER ID	1 172 145 443
IP ADDRESS EXTERN FOR INTERNET	
ORIGINAL VERSION	7.4.44.111
UPG OR DNG VERSION DURING MAINTENANCE	No software upgrade recommended

Start time PM:	11/12/2024 08:30
End time PM:	11/12/2024 10:30

COMMENTS			COMMENTS		
Touch monitor calibration			Fixation encoder		
Touch monitor resolution		1024x768	Encoder wheel status		
View monitor resolution		1920x1080	Encoder wheel on web?		
Fixation screws of system?			Spring(s) encoder status ?		
Cables status ?			Alarm indicator status ?		
Connectors cameras (well light?)					
PC's fans ?					
PC's filter			Installation date:		2023-04-06
Lens cleaning					
Mirror cleaning			Software workflow communication		
Backing or RRB cleaning			Check Teamviewer access		
Lens Focal			Calibration of camera detail & 100% camera		
Camera alignment with printing			Operators instruction ?		
Check web under camera			Screenshots		
Height compensator calib			ACRONIS ?		
Encoder offset calib			Backup application		
Only with EV- LED calibrations					
Kisspoint only with 2 cameras					

Filled quantity needed for quotation:

(If fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

- ☐ ENCODER WHEEL:: 2RDHO234275
- ☐ LED Board equipped V40 L=140mm: 1ELLT256485
- ☐ LED Board equipped V40 L=160mm: 1ELLT256486
- ☐ ENCODER'S SPRING
- ☐ BACKPLATE W/B

- ☒ : Checked, nothing to report / Vérifié, RAS
- ☒ : Not OK, checked comment / Pas OK, vérifiez commentaires
- ☐ : Not actif / Non Actif

Comment(s)

(If fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

Customer signature:

Name:

Date:

BST eltromat FRANCE signature:

Name:

Date:




16/01/2025 10:23

BST Eltromat France SARL Impasse de la Noisette - CE402 F-91374 Verrières le Buisson Tél.: +33 1 69 20 07 41 Email: bstfrance@bst.group Web: https://www.bst.elexis.group/	CCL Package Label - Pharma (Chilly-Mazarin) ACU231910 M. Jean-Charles Campana 20 Avenue Arago 91380 Chilly-Mazarin France +33 7 63 04 72 66 jccampana@cclind.com
--	---

Preventive reference number	PMREPORT-185_PM785_2024-12-12
Contract number / Numéro de contrat	CM1708005
Contract date:	2022/01/01 -> 2024/12/31
Machine customer name:	SH351
Assign to:	CouV
Material:	VIDEO_Tubescan_DS
Type:	TubeScan DS 330 4K / 0.0833
SN-WA:	ASO101365_50.2762
Installation date of material:	2024/03/01

TECHNICAL DATAS

PC MODEL	OptiPlex 7090
PC NAME	TUBESCAN502762
ADDITIONAL CAMERA INFO	TubeScan DS 330 4K / 0.0833
OPERATION SYSTEM	Windows 10 Pro Version 21H1 (OS Build 19043.1766)
MEMORY RAM	16 GB(2x 8 3200 MHz)
FREE SPACE ON C	Please fill system information
FREE SPACE ON D	
TEAMVIEWER ID	1316828566
IP ADDRESS EXTERN FOR INTERNET	
ORIGINAL VERSION	7.4.57.20297
UPG OR DNG VERSION DURING MAINTENANCE	No software upgrade recommended

Start time PM:	12/12/2024 15:30
End time PM:	12/12/2024 17:30

		COMMENTS			COMMENTS
Touch monitor calibration	II		Fixation encoder	✓	
Touch monitor resolution		1920x1080	Encoder wheel status	✓	
View monitor resolution		1920x1080	Encoder wheel on web?	✓	
Fixation screws of system?	✓		Spring(s) encoder status ?	✓	
Cables status ?	✓		Alarm indicator status ?	✓	
Connectors cameras (well tight?)	✓		UPS battery exchanged ?	✗	
PC's fans ?	✓		Date UPS's batteries exchanged ?		OLD UPS APC NEW UPS EATON recommend to exchange every 5 years.
PC's filter	II		Installation date:		2024-03-01 -> 00 YEAR(S)
Lens cleaning	✓		UPS communication?	✗	
Mirror cleaning	✓		Softwareworkflowcommunication	II	
Backing or RRB cleaning	✓		Check Teamviewer access	✓	
Lens Focal	II		Calibration of camera detail & 100%camera	II	
Camera alignment with printing	✓		Operators instruction ?	II	
Check web under camera	✓		Screenshots	✓	
Height compensator calib	✓		ACRONIS ?	II	
Encoder offset calib	✓		Backup application	✓	
Only with EV- LED calibrations	II				
Kisspoint only with 2 cameras	II				

Filled quantity needed for quotation:

(if fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

- ☐ ENCODER WHEEL:: 2RDHO234275
- ☐ LED Board equipped V40 L=140mm: 1ELLT256485
- ☐ LED Board equipped V40 L=160mm: 1ELLT256486
- ☐ ENCODER'S SPRING
- ☐ BACKPLATE W/B

✓: Checked, nothing to report / Vérifié, RAS

✗: Not OK, checked comment / Pas OK, vérifiez commentaires

⏸: Not actif / Non Actif

Comment(s)

(if fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

Customer signature:

Name: Beaumont Avmeric

Date: 17/01/2025



BST eltromat FRANCE signature:

Name: Coutellier Vivien

Date: 16/01/2025


16/01/2025 18:26

BST Eltromat France SARL Impasse de la Noisette - CE402 F-91374 Verrières le Buisson Tél.: +33 1 69 20 07 41 Email: bstfrance@bst.group Web: https://www.bst.elexis.group/	CCL Package Label - Pharma (Chilly-Mazarin) ACU231910 M. Jean-Charles Campana 20 Avenue Arago 91380 Chilly-Mazarin France +33 7 63 04 72 66 jccampana@cclind.com
---	--

Ticket number:	E2132
Customer order:	
Machine customer name:	SH351
Ticket type:	REMOTE
Assign to:	CouV -> vivien.Coutellier@bst.group
Ticket date:	2024/06/17
Material:	VIDEO_Tubescan_DS
Type:	TubeScan DS 330 4K / 0.0833
SN WA:	ASO101365_50.2762
Installation date of material:	2024/03/01
Teamviewer:	1316828566
PC model:	OptiPlex 7090
Original Application Version:	7.4.57.20297

1 day(s) of intervention calculation

2024 / 2024	Tue.18/06
AM Start	08:30
AM End	
PM Start	
PM End	09:45

Start date of intervention	2024/06/18-08:30
End date of intervention	2024/06/18-09:45
Reason:	Light column is not flashing even when forcing signal in placement.
Actions:	The column was changed and the 24v power supplies also with no change. The column worked again after replacing the control board.
Remarks:	
Ticket status:	pending

Comment(s)

(If fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

--

Customer signature:

Name:

Date:



BST eltromat FRANCE signature:

Name:

Date:


16/07/2025 10:21

BST Eltromat France SARL Impasse de la Noisette - CE402 F-91374 Verrières le Buisson Tél.: +33 1 69 20 07 41 Email: bstfrance@bst.group Web: https://www.bst.elexis.group/	CCL Package Label - Pharma (Chilly-Mazarin) ACU231910 M. Jean-Charles Campana 20 Avenue Arago 91380 Chilly-Mazarin France +33 7 63 04 72 66 jccampana@cclind.com
--	---

Preventive reference number	PMREPORT-71_PM626_2024-04-23
Contract number / Numéro de contrat	CM1708005
Contract date:	2022/01/01 -> 2024/12/31
Machine customer name:	Presse 284
Assign to:	CouV
Material:	VIDEO_Tubescan_DS
Type:	TubeScan DS 330 4K / BF3-M2-0.0833
SN-WA:	ASO058489_40.1199
Installation date of material:	2019/08/19

TECHNICAL DATAS

PC MODEL	Please fill system information
PC NAME	TUBESCAN401199
ADDITIONAL CAMERA INFO	TubeScan DS 330 4K / BF3-M2-0.0833
OPERATION SYSTEM	Windows 10
MEMORY RAM	16 gb
FREE SPACE ON C	168 gb
FREE SPACE ON D	
TEAMVIEWER ID	1.525.580.331 / v12
IP ADDRESS EXTERN FOR INTERNET	
ORIGINAL VERSION	7.4.44.111
UPG OR DNG VERSION DURING MAINTENANCE	No software upgrade recommended

COMMENTS		COMMENTS	
Touch monitor calibration	NA	Fixation encoder	OK
Touch monitor resolution	720p	Encoder wheel status	OK
View monitor resolution	1080p	Encoder wheel on web?	OK
Fixation screws of system?	OK	Spring(s) encoder status ?	OK
Cables status ?	OK	Alarm indicator status ?	OK
Connectors cameras (well tight?)	OK		
PC's fans ?	OK		
PC's filter	NA	Installation date:	2019-08-19
Lens cleaning	OK		
Mirror cleaning	OK	Software workflow communication	KO
Backing or RRB cleaning	OK	Check Teamviewer access	OK
Lens Focal	NA	Calibration of camera detail & 100% camera	NA
Camera alignment with printing	OK	Operators instruction ?	NA
Check web under camera	OK	Screenshots	OK
Height compensator calib	OK	ACRONIS ?	NA
Encoder offset calib	OK	Backup application	OK
Only with EV- LED calibrations	NA		
Kisspoint only with 2 cameras	NA		

Filled quantity needed for quotation:

(if fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

- ☐ ENCODER WHEEL:: 2RDHO234275
- ☐ LED Board equipped V40 L=140mm: 1ELLT256485
- ☐ LED Board equipped V40 L=160mm: 1ELLT256486
- ☐ ENCODER'S SPRING
- ☐ BACKPLATE W/B

Comment(s)

(If fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

Customer signature:

Name:


Date :



BST eltromat FRANCE signature:

Name:

Date :


17/06/2024 11:49

BST Eltromat France SARL
Impasse de la Noisette - CE402
F-91374 Verrières le Buisson
Tél.: +33 1 69 20 07 41
Email: bstfrance@bst.group
Web: <https://www.bst-elaxis.group/>

CCL Package Label - Pharma (Chilly-Mazarin)
ACU231910
M. Jean-Charles Campana
20 Avenue Arago
91380
Chilly-Mazarin
France
+33 7 63 04 72 66
jccampana@cclind.com

Preventive reference number	PMREPORT-184_PM786_2024-12-12
Contract number / Numéro de contrat	CM1708005
Contract date:	2022/01/01 -> 2024/12/31
Machine customer name:	Presse 284
Assign to:	CouV
Material:	VIDEO_Tubescan_DS
Type:	TubeScan DS 330 4K / BF3-M2-0.0833
SN-WA:	ASO058489_40.1199
Installation date of material:	2019/08/19

TECHNICAL DATAS

PC MODEL	Optiplex 5060
PC NAME	TUBESCAN401199
ADDITIONAL CAMERA INFO	TubeScan DS 330 4K / BF3-M2-0.0833
OPERATION SYSTEM	Windows 10
MEMORY RAM	16 gb
FREE SPACE ON C	168 gb
FREE SPACE ON D	
TEAMVIEWER ID	1 525 580 331 / v12
IP ADDRESS EXTERN FOR INTERNET	
ORIGINAL VERSION	7.4.44.111
UPG OR DNG VERSION DURING MAINTENANCE	No software upgrade recommended

Start time PM:	12/12/2024 17:55
End time PM:	

	COMMENTS		COMMENTS
Touch monitor calibration		Fixation encoder	✓
Touch monitor resolution	1024x768	Encoder wheel status	✓
View monitor resolution	1080p	Encoder wheel on web?	✓
Fixation screws of system?	✓	Spring(s) encoder status ?	✓
Cables status ?	✓	Alarm indicator status ?	✓
Connectors cameras (well tight?)	✓		
PC's fans ?	✓		
PC's filter		Installation date:	2019-08-19
Lens cleaning	✓		
Mirror cleaning	✓	Software workflow communication	
Backing or RRB cleaning	✓	Check Teamviewer access	✗
Lens Focal		Calibration of camera detail & 100% camera	
Camera alignment with printing	✓	Operators instruction ?	
Check web under camera	✓	Screenshots	✓
Height compensator calib	✓	ACRONIS ?	
Encoder offset calib	✓	Backup application	✓
Only with EV- LED calibrations			
Kisspoint only with 2 cameras			

Filled quantity needed for quotation:

(If fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

- ☐ ENCODER WHEEL:: 2RDHO234275
- ☐ LED Board equipped V40 L=140mm: 1ELLT256485
- ☐ LED Board equipped V40 L=160mm: 1ELLT256486
- ☐ ENCODER'S SPRING
- ☐ BACKPLATE W/B

- ☒ : Checked, nothing to report / Vérifié, RAS
- ☒ : Not OK, checked comment / Pas OK, vérifiez commentaires
- ☐ : Not actif / Non Actif

Comment(s)

(If fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

Customer signature:

Name:

Date :

BST eltromat FRANCE signature:

Name:

Date :


16/01/2025 10:26

BST Eltromat France SARL
Impasse de la Noisette - CE402
F-91374 Verrières le Buisson
Tél.: +33 1 69 20 07 41
Email: bstfrance@bst.group
Web: <https://www.bst.elexis.group/>

CCL Package Label - Pharma (Chilly-Mazarin)
ACU231910
M. Jean-Charles Campana
20 Avenue Arago
91380
Chilly-Mazarin
France
+33 7 63 04 72 66
jccampana@cclind.com

Preventive reference number	PMREPORT-179_PM784_2024-12-12
Contract number / Numéro de contrat	CM1708005
Contract date:	2022/01/01 -> 2024/12/31
Machine customer name:	Presse 444
Assign to:	CouV
Material:	VIDEO_Tubescan_DS
Type:	TubeScan DS 430 4K /
SN WA:	ASO101364_50.2772
Installation date of material:	2024/04/29

TECHNICAL DATAS

PC MODEL	OptiPlex SFF 7010
PC NAME	TUBESCAN502772
ADDITIONAL CAMERA INFO	TubeScan DS 430 4K /
OPERATION SYSTEM	Windows 11 Pro Version 22H2
MEMORY RAM	16 gb
FREE SPACE ON C	111gb
FREE SPACE ON D	
TEAMVIEWER ID	1 339 993 077
IP ADDRESS EXTERN FOR INTERNET	
ORIGINAL VERSION	7.4.57.20297
UPG OR DNG VERSION DURING MAINTENANCE	No software upgrade recommended

Start time PM:	12/12/2024 13:30
End time PM:	12/12/2024 15:30

COMMENTS			COMMENTS		
Touch monitor calibration	✓		Fixation encoder	✓	
Touch monitor resolution		1080p	Encoder wheel status	✓	
View monitor resolution		1080p	Encoder wheel on web?	✓	
Fixation screws of system?	✓		Springs encoder status ?	✓	
Cables status ?	✓		Alarm indicator status ?	✓	
Connectors cameras (well tight?)	✓		UPS battery exchanged ?	⏸	
PC's fans ?	✓		Date UPS's batteries exchanged ?		OLD UPS APC NEW UPS EATON recommend to exchange every 5 years.
PC's filter	⏸		Installation date:		2024-04-29 -> 00 YEAR(S)
Lens cleaning	✓		UPS communication?	✓	
Mirror cleaning	✓		Software workflow communication	⏸	
Backing or RRB cleaning	✓		Check Teamviewer access	✓	
Lens Focal	⏸		Calibration of camera detail & 100% camera	⏸	
Camera alignment with printing	✓		Operators instruction ?	✓	
Check web under camera	✓		Screenshots	✓	
Height compensator calib	✓		ACRONIS ?	⏸	
Encoder offset calib	✓		Backup application	✓	
Only with EV- LED calibrations	⏸				
Kisspoint only with 2 cameras	⏸				

Filled quantity needed for quotation:

(If fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

- ☐ ENCODER WHEEL:: 2RDHO234275
- ☐ LED Board equipped V40 L=140mm: 1ELLT256485
- ☐ LED Board equipped V40 L=160mm: 1ELLT256486
- ☐ ENCODER'S SPRING
- ☐ BACKPLATE W/B

- ☒ : Checked, nothing to report / Vérifié, RAS
- ☒ : Not OK, checked comment / Pas OK, vérifiez commentaires
- ☐ : Not actif / Non Actif

Comment(s)

(If fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

Customer signature:

Name:

Date :

BST eltromat FRANCE signature:

Name:

Date :




16/01/2025 10:23

BST Eltromat France SARL
Impasse de la Noisette - CE402
F-91374 Verrières le Buisson
Tél.: +33 1 69 20 07 41
Email: bstfrance@bst.group
Web: <https://www.bst.elexis.group/>

CCL Package Label - Pharma (Chilly-Mazarin)
ACU231910
M. Jean-Charles Campana
20 Avenue Arago
91380 Chilly-Mazarin
France
+33 7 63 04 72 66
jccampana@cclind.com

Ticket number:	E2208
Customer order:	CDE CLIENT 112179
Machine customer name:	Press 445
AR:	
Ticket type:	INSTALLATION
Assign to:	CouV -> vivien.Coutellier@bst.group
Ticket date:	2024/09/05
Material:	VIDEO_Tubescan_DS
Type:	TubeScan DS 430 4K /
SN_WA	ASO104166_50.2873
Installation date of material:	
Teamviewer:	
PC model:	
Original Application Version	

11 day(s) of intervention calculation

2024 / 2024	Mon.21/10	Tue.22/10	Wed.23/10	Thu.24/10	Fri.25/10	Sat.26/10	Sun.27/10
Drive time	0.5	0.5					
AM Start	09:00	09:00					
AM End	12:30	12:30					
PM Start	13:00	13:30					
PM End	18:30						
Drive time	0.5	0.5					

2024 / 2024	Mon.28/10	Tue.29/10	Wed.30/10	Thu.31/10
Drive time				0.5
AM Start				09:30
AM End				
PM Start				
PM End				12:00
Drive time				0.5

Start date of intervention	2024/10/21-09:00
End date of intervention	2024/10/31-12:00
Reason:	Support Mécanique & Rouleaux + Installation
Actions:	Ok après une seconde visite pour réglages et mise en place des éléments manquants.
Solution:	
Remarks:	Pas d'acompte.
Ticket status:	open


Comment(s)

(If fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

Customer signature:

Name: **Beaumont Avmeric**


Date : **17/01/2025**



BST eltromat FRANCE signature:

Name: **Coutellier Vivien**

Date : **16/01/2025**


16/01/2025 11:52

ATTACHED CALL'S FILE(S)

Offre 240725-0162	CDE CLIENT 112179

