

BST Eltromat France SARL Impasse de la Noisette - CE402 F-91374 Verrières le Buisson Tél.: +33 1 69 20 07 41 Email: bstfrance@bst.group Web: https://www.bst.elaxis.group/	Amcor (Sarrebourg) 231254 M. Thierry Richard 48 rue de Sarreguemines 57400 Sarrebourg France +33 3 87 24 53 43 thierry.richard@amcor.com
--	---

Preventive reference number	PMREPORT-255_PM868_2025-04-10
Contract number / Numéro de contrat	Please fill system information
Contract date:	
Machine customer name:	328
Assign to:	CouV
Material:	VIDEO_Tubescan_DS
Type:	TubeScan XL 1400 / M2032C-0.24
SN/WA:	ASO071573 _ 42.1601
Installation date of material:	2021/02/24

TECHNICAL DATAS

PC MODEL	beg-BKA-BSTE01
PC NAME	TUBESCAN421601
ADDITIONAL CAMERA INFO	TubeScan XL 1400 / M2032C-0.24
OPERATION SYSTEM	Windows 10 Pro V1909
MEMORY RAM	16 GB
FREE SPACE ON C	Please fill system information
FREE SPACE ON D	
TEAMVIEWER ID	662 821 677 / v12
IP ADDRESS EXTERN FOR INTERNET	
ORIGINAL VERSION	7.4.35.87
UPG OR DNG VERSION DURING MAINTENANCE	No software upgrade recommended

Start time PM:	10/04/2025 12:14
End time PM:	

	COMMENTS		COMMENTS
Touch monitor calibration	✓	Fixation encoder	✓
Touch monitor resolution	1920x1080	Encoder wheel status	✓
View monitor resolution	1920x1080	Encoder wheel on web?	✓
Fixation screws of system?	✓	Spring(s) encoder status ?	✓
Cables status ?	✓	Alarm indicator status ?	✓
Connectors cameras (well tight?)	✓	UPS battery exchanged ?	✓
PC's fans ?	✓	Date UPS's batteries exchanged ?	2025/04/01
PC's filter	⏸	Installation date:	2021-02-24 -> 00 YEAR(S)
Lens cleaning	✓	UPS communication?	✓
Mirror cleaning	✓	Software workflow communication	⏸
Backing or RRB cleaning	✓	Check Teamviewer access	✗
Lens Focal	⏸	Calibration of camera detail & 100% camera	⏸
Camera alignment with printing	✓	Operators instruction ?	⏸
Check web under camera	✓	Screenshots	✓
Height compensator calib	✓	ACRONIS ?	⏸
Encoder offset calib	✓	Backup application	✓
Only with EV- LED calibrations	⏸		
Kisspoint only with 2 cameras	✓		

Filled quantity needed for quotation:

(if fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

ENCODER WHEEL:: 2RDHO234275

LED Board equipped V40 L=140mm: 1ELLT256485

LED Board equipped V40 L=160mm: 1ELLT256486

ENCODER'S SPRING

BACKPLATE W/B

☒: Checked, nothing to report / Vérifié, RAS

☒: Not OK, checked comment / Pas OK, vérifiez commentaires

☐: Not actif / Non Actif

Comment(s)

(If fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

Customer signature:

Name: **Thierry Richard**

Date : **9/5/2025**



BST eltromat FRANCE signature:

Name: **Coutellier Vivien**

Date :



10/04/2025 12:23

BST Eltromat France SARL Impasse de la Noisette - CE402 F-91374 Verrières le Buisson Tél.: +33 1 69 20 07 41 Email: bstfrance@bst.group Web: https://www.bst.eloxis.group/	Amcor (Sarrebourog) 231254 M. Thierry Richard 48 rue de Sarreguemines 57400 Sarrebourog France +33 3 87 24 53 43 thierry.richard@amcor.com
--	---

Preventive reference number	PMREPORT-247_PM857_2025-03-28
Contract number / Numéro de contrat	Please fill system information
Contract date:	
Machine customer name:	327
Assign to:	RelR
Material:	VIDEO_Tubescan_DS
Type:	TubeScan XL 1400
SN:WA:	ASO088520_42.2271
Installation date of material:	2023/01/09

TECHNICAL DATAS

PC MODEL	Optiplex 7080
PC NAME	Tubescan422271
ADDITIONAL CAMERA INFO	TubeScan XL 1400
OPERATION SYSTEM	Win10Pro
MEMORY RAM	32Go
FREE SPACE ON C	126Gb
FREE SPACE ON D	
TEAMVIEWER ID	733048226
IP ADDRESS EXTERN FOR INTERNET	
ORIGINAL VERSION	7.4.35.87
UPG OR DNG VERSION DURING MAINTENANCE	No software upgrade recommended

Start time PM:	28/03/2025 08:30
End time PM:	28/03/2025 11:00

		COMMENTS			COMMENTS
Touch monitor calibration	✓		Fixation encoder	✓	
Touch monitor resolution		1024X768	Encoder wheel status	✓	Roue changée, renfort mécanique de la barre de support du codeur. Test a grande vitesse : OK
View monitor resolution		2560X1440	Encoder wheel on web?	✓	
Fixation screws of system?	✓		Spring(s) encoder status ?	✓	
Cables status ?	✓		Alarm indicator status ?	✓	
Connectors cameras (well tight?)	✓		UPS battery exchanged ?	✓	
PC's fans ?	✓		Date UPS's batteries exchanged ?		2025/04/04
PC's filter	⏸		Installation date:		2023-01-09 -> 00 YEAR(S)
Lens cleaning	✓		UPS communication?	✓	
Mirror cleaning	✓		Software workflow communication	✓	
Backing or RRB cleaning	✓		Check Teamviewer access	✓	
Lens Focal	✓		Calibration of camera detail & 100% camera	⏸	
Camera alignment with printing	✓		Operators instruction ?	⏸	
Check web under camera	✓		Screenshots	⏸	
Height compensator calib	✓		ACRONIS ?	✓	
Encoder offset calib	✓		Backup application	✓	
Only with EV- LED calibrations	⏸				
Kisspoint only with 2 cameras	✓				

Filled quantity needed for quotation:

(if fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

ENCODER WHEEL:: 2RDHO234275

LED Board equipped V40 L=140mm: 1ELLT256485

LED Board equipped V40 L=160mm: 1ELLT256486

ENCODER'S SPRING

BACKPLATE W/B

✓: Checked, nothing to report / Vérifié, RAS

✗: Not OK, checked comment / Pas OK, vérifiez commentaires

⏸: Not actif / Non Actif

Comment(s)

(If fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

Customer signature:

Name: **Thierry Richard**

Date : **9/5/2025**



BST eltromat FRANCE signature:

Name: **Coutellier Vivien**

Date :



10/04/2025 12:25

BST Eltromat France SARL Impasse de la Noisette - CE402 F-91374 Verrières le Buisson Tél.: +33 1 69 20 07 41 Email: bstfrance@bst.group Web: https://www.bst.elexis.group/	Amcor (Sarrebouurg) 231254 M. Thierry Richard 48 rue de Sarreguemines 57400 Sarrebouurg France +33 3 87 24 53 43 thierry.richard@amcor.com
--	---

Preventive reference number	PMREPORT-246_PM851_2025-03-27
Contract number / Numéro de contrat	Please fill system information
Contract date:	
Machine customer name:	253
Assign to:	RelR
Material:	VIDEO_IPQ_Check_eco
Type:	iPQ Center Eco
SN:WA:	ASO056935_WA20714
Installation date of material:	2019/06/05

TECHNICAL DATAS

PC MODEL	Bste01
PC NAME	20714ipqCenter 1-2
ADDITIONAL CAMERA INFO	iPQ Center Eco
OPERATION SYSTEM	WINDOWS 10 ENTERPRISE
MEMORY RAM	32Go
FREE SPACE ON C	52.9Go/ E:41.7Go
FREE SPACE ON D	83Go / F: 1.81Tb
TEAMVIEWER ID	293 992 682
IP ADDRESS EXTERN FOR INTERNET	
ORIGINAL VERSION	2.14.1
UPG OR DNG VERSION DURING MAINTENANCE	No software upgrade recommended

Start time PM:	26/03/2025 09:15
End time PM:	26/03/2025 11:30

		COMMENTS			COMMENTS
Touchmonitorcalibration	✓		Ipqchecksynchronization	✓	
Pcscreenresolutiontouch		1920X1080	Ipqencoderwheelfixing	✓	
Pcscreenresolutionview			Ipqencoderwheelstatus	✓	
Hardwareconditionscrews	✓		Ipqencoderwheelrunningonweb	✓	
Hardwareconditioncables	✓		Alarmstatusindicator	✓	
Hardwareconditionconnectors	✓		Upsbatteryexchanged	✓	
Digitalcheckfan	✓		Upsdatebatteryexchanged		2025/04/04
Digitalreplacefilter	✓		Installation date:		2019-06-05
Linecameracleanmirror	✓		Upscommunicationchecking	✓	
Led checking+reflector checking+dome	✓	Dome Craqué	Softwareupdate	⏸	
Linecameramechanicalcheck	✓		Version upgraded		
Linecamerabacklightmechanicalcheckjigs	✓		Softwareipqtcu		1.9.1
Cameramachanicalalignementtoprint	✓		Softwareipqili		1.4.3
Camerawhitecalibration	✓		Softwareworkflowcommunication	✓	
			Softwareremote	✓	
			Operatorinstructions	⏸	
			Backupscreenshots	✓	
			Backupimage	✓	
			Backupsoftware	✓	

- ✓: Checked, nothing to report / Vérifié, RAS
✗: Not OK, checked comment / Pas OK, vérifiez commentaires
⏸: Not actif / Non Actif

Comment(s)

(If fields are not visible please open PDF file with Google chrome or Microsoft edge nagivator or update your navigator)

Customer signature:

Name: **Thierry Richard**


Date : **9/5/2025**



BST eltromat FRANCE signature:

Name: **Coutellier Vivien**

Date :


10/04/2025 12:24

BST Eltromat France SARL Impasse de la Noisette - CE402 F-91374 Verrières le Buisson Tél.: +33 1 69 20 07 41 Email: bstfrance@bst.group Web: https://www.bst.elexis.group/	Amcor (Sarrebouurg) 231254 M. Thierry Richard 48 rue de Sarreguemines 57400 Sarrebouurg France +33 3 87 24 53 43 thierry.richard@amcor.com
--	---

Preventive reference number	PMREPORT-243_PM856_2025-03-27
Contract number / Numéro de contrat	Please fill system information
Contract date:	
Machine customer name:	247 Cerruti
Assign to:	RelR
Material:	VIDEO_IPQ_Check_eco
Type:	IPQ check eco back-side
SN:WA:	ASO051498_WA0020375
Installation date of material:	2019/01/10

TECHNICAL DATAS

PC MODEL	Bste01
PC NAME	20375iPQ-Center1-2
ADDITIONAL CAMERA INFO	IPQ check eco back-side
OPERATION SYSTEM	WINDOWS 10 ENTERPRISE
MEMORY RAM	32Go
FREE SPACE ON C	52.1Go/ E:42.3Go
FREE SPACE ON D	96.6Gb /F: 1.81Gb
TEAMVIEWER ID	300360618
IP ADDRESS EXTERN FOR INTERNET	
ORIGINAL VERSION	2.13.2
UPG OR DNG VERSION DURING MAINTENANCE	No software upgrade recommended

Start time PM:	27/03/2025 13:30
End time PM:	27/03/2025 16:30

		COMMENTS			COMMENTS
Touchmonitorcalibration	✗	Cable OK, test avec l'écran tactile de l'ipq center, les périphériques fonctionnent correctement en USB. Ecran a remplacer.	Ipqchecksynchronization	✓	
Pcscreenresolutiontouch		1920X1080	Ipqencoderwheelfixing	✓	
Pcscreenresolutionview		1920X1080	Ipqencoderwheelstatus	✓	
Hardwareconditionscrews	✓		Ipqencoderwheelrunningonweb	✓	
Hardwareconditioncables	✓		Alarmstatusindicator	✓	
Hardwareconditionconnectors	✓		Upsbatteryexchanged	✓	Batterie remplacées
Digitalcheckfan	✓		Upsdatebatteryexchanged		2025/04/01
Digitalreplacefilter	✓		Installation date:		2019-01-10 -> 00 YEAR(S)
Linecameracleanmirror	✓		Upscommunicationchecking	✓	
Led checking+reflector checking+dome	✓	Dôme craquelé	Softwareupdate	⏸	
Linecameramechanicalcheck	✓		Version upgraded		
Linecamerabacklightmechanicalcheckjigs	✓		Softwareipqtcu		1.9.1
Camera mechanicalalignementtoprint	✓		Softwareipqili		1.4.3
Camera whitecalibration	✓		Softwareworkflowcommunication	✓	
			Softwareremote	✓	
			Operatorinstructions	⏸	
			Backupscreenshots	✓	
			Backupimage	✓	
			Backupsoftware	✓	

✓: Checked, nothing to report / Vérifié, RAS

✗: Not OK, checked comment / Pas OK, vérifiez commentaires

⏸: Not actif / Non Actif

Comment(s)

(If fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

Customer signature:

Name: **Thierry Richard**


Date: **3/5/2025**



BST eltromat FRANCE signature:

Name: **Coutellier Vivien**

Date:


10/04/2025 12:24

Énoncé de la signature de l'expert

BST Eltromat France SARL Impasse de la Noisette - CE402 F-91374 Verrières le Buisson Tél.: +33 1 69 20 07 41 Email: bstfrance@bst.group Web: https://www.bst.elexis.group/	Amcor (Sarrebouurg) 231254 M. Thierry Richard 48 rue de Sarreguemines 57400 Sarrebouurg France +33 3 87 24 53 43 thierry.richard@amcor.com
--	---

Preventive reference number	PMREPORT-254_PM863_2025-04-09
Contract number / Numéro de contrat	Please fill system information
Contract date:	
Machine customer name:	249
Assign to:	CouV
Material:	VIDEO_IPQ_Center
Type:	iPQ Center
SN:WA:	ASO065990_WA0021130
Installation date of material:	2020/08/07

TECHNICAL DATAS

PC MODEL	IPC-BG-BKA-BSTE01.0-3
PC NAME	21130IPQ-CENTER
ADDITIONAL CAMERA INFO	iPQ Center
OPERATION SYSTEM	Windows 10 Entreprise 2016 LTSC
MEMORY RAM	32 GB
FREE SPACE ON C	51.5 GB
FREE SPACE ON D	91.8 GB
TEAMVIEWER ID	1 942 217 908 / v12
IP ADDRESS EXTERN FOR INTERNET	
ORIGINAL VERSION	2.17.6
UPG OR DNG VERSION DURING MAINTENANCE	2.17.7

Start time PM:	07/04/2025 13:50
End time PM:	

COMMENTS			COMMENTS		
Touchmonitorcalibration	✓		Ipqchecksynchronization	✓	
Pcscreenresolutiontouch		1920x1080	Ipqencoderwheelfixing	✓	
Pcscreenresolutionview		1920x1080	Ipqencoderwheelstatus	✓	
Hardwareconditionscrews	✓		Ipqencoderwheelrunningonweb	✓	
Hardwareconditioncables	✓		Alarmstatusindicator	✓	
Hardwareconditionconnectors	✓		Upsbatteryexchanged	⏸	
Digitalcheckfan	✓		Upsdatebatteryexchanged		UPS builder recommend to exchange every 4 years.
Digitalreplacefilter	✓		Installation date:		2020-08-07 -> 04 YEAR(S)
Traversecamera	✓		Upscommunicationchecking	✓	
Traversecameralenscleaning	✓		Softwareupdate	⏸	
Traversewscamerareplaceflashbulb	✓		Version upgraded		2.17.7
Traversewscameracleanwindows	✓		Softwareipqtu		1.12
Camerachangefiltercheckfan	✓		SoftwareipqWSC		1.9.5
Traversewscamerashadowreducingbackplate	⏸		Softwareipqpps		2.2
Traversewscameracheckflashbulblackerflash	✓		Softwareipqili		1.4.3
Traversewscameracheckcleanmirrorlackercamera	✓		Softwareworkflowcommunication	✓	
TraversewscameracheckzoomirisfocusWSCboard	✓		Softwareremote	✗	
Traversewscameracalibrationzoomirisfocus	✓		Operatorinstructions	⏸	
Traversebackflash	✓		Backupscreenshots	✓	
Traversebackflashflashbulb	⏸		Backupimage	⏸	
Linecameracleanmirror	✗	Présence de produit corrosif sur les miroirs, les miroirs sont très marqués même après nettoyage.	Backupsoftware	✓	
Led checking+reflector checking+dome	✗	dôme craquelé			
Linecameramechanicalcheck	✓				
Linecamerabacklightmechanicalcheckjigs	✓				
Camera mechanicalalignementtoprint	✓				
Camera whitecalibration	✗	Calibration faite mais quelques traits sont visibles dû à l'état des miroir.			

✓: Checked, nothing to report / Vérifié, RAS

✗: Not OK, checked comment / Pas OK, vérifiez commentaires

⏸: Not actif / Non Actif

Comment(s)

(If fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

Customer signature:


Name: **Thierry Richard**

Date: **3/5/2025**

BST eltromat FRANCE signature:

Name: **Coutellier Vivien**

Date:

10/04/2025 12:25

BST Eltromat France SARL Impasse de la Noisette - CE402 F-91374 Verrières le Buisson Tél.: +33 1 69 20 07 41 Email: bstfrance@bst.group Web: https://www.bst.elaxis.group/	Amcor (Sarrebouurg) 231254 M. Thierry Richard 48 rue de Sarreguemines 57400 Sarrebouurg France +33 3 87 24 53 43 thierry.richard@amcor.com
--	---

Preventive reference number	PMREPORT-245_PM850_2025-03-27
Contract number / Numéro de contrat	Please fill system information
Contract date:	
Machine customer name:	253
Assign to:	RelR
Material:	VIDEO_IPQ_Center
Type:	iPQ Center
SN:WA:	ASO031028_WA19067
Installation date of material:	

TECHNICAL DATAS

PC MODEL	IPC-BG-BKA-BSTE03
PC NAME	19067-iPQ-1
ADDITIONAL CAMERA INFO	iPQ Center
OPERATION SYSTEM	Windows 10 Enterprise LTSC
MEMORY RAM	64.0 GB
FREE SPACE ON C	37.8 / 75.1
FREE SPACE ON D	F:\ 7.25 / 7.27 TB
TEAMVIEWER ID	1 677 131 671 / v15
IP ADDRESS EXTERN FOR INTERNET	10.4.195.10 255.255.255.0
ORIGINAL VERSION	3.2.2
UPGRADE OR DOWNGRADE VERSION LAST INTERVENTION	3.2.2 from E2176
UPG OR DNG VERSION DURING MAINTENANCE	No software upgrade recommended

Start time PM:	26/03/2025 09:15
End time PM:	26/03/2025 11:30

COMMENTS			COMMENTS		
Touchmonitorcalibration	✓		Ipqchecksynchronization	✓	
Pcscreenresolutiontouch		1920X1080	Ipqencoderwheelfixing	✓	
Pcscreenresolutionview		1920X1080	Ipqencoderwheelstatus	✓	
Hardwareconditionscrews	✓		Ipqencoderwheelrunningonweb	✓	
Hardwareconditioncables	✓		Alarmstatusindicator	✓	
Hardwareconditionconnectors	✓		Upsbatteryexchanged	✓	
Digitalcheckfan	✓		Upsdatebatteryexchanged		2025/04/04
Digitalreplacefilter	✓		Installation date:		-> 00 YEAR(S)
Traversecamera	✓		Upscommunicationchecking	✓	
Traversecameralenscleaning	✓		Softwareupdate	⏸	
Traversewscamerareplaceflashbulb	⏸		Version upgraded		
Traversewscameracleanwindows	⏸		Softwareipqtcu		1.14
Camrachangefiltercheckfan	✓		Softwareipqwsc		1.9.7
Traversewscamerashadowreducingbackplate	✓		Softwareipqpps		2.2
Traversewscameracheckflashbulblackerflash	⏸		Softwareipqili		1.4.3
Traversewscameracheckcleanmirrorlackercamera	⏸		Softwareworkflowcommunication	✓	
Traversewscameracheckzoomirisfocuswscboard	⏸		Softwareremote	✓	
Traversewscameracalibrationzoomirisfocus	⏸		Operatorinstructions	⏸	
Traversebackflash	⏸		Backupscreenshots	✓	
Traversebackflashflashbulb	✓		Backupimage	✓	
Linecameracleanmirror	✓		Backupsoftware	✓	
Led checking+reflector checking+dome	✓	Dome craqué			
Linecameramechanicalcheck	✓				
Linecamerabacklightmechanicalcheckjigs	✓				
Camramechanicalalignementtoprint	✓				
Camerawhitecalibration	✓				

- ✓: Checked, nothing to report / Vérifié, RAS
✗: Not OK, checked comment / Pas OK, vérifiez commentaires
⏸: Not actif / Non Actif

Comment(s)

(If fields are not visible please open PDF file with Google chrome or Microsoft edge nagivator or update your navigator)

Customer signature:


Name: **Thierry Richard**

Date : **9/5/2025**

BST eltromat FRANCE signature:

Name: **Coutellier Vivien**

Date :



10/04/2025 12:24

BST Eltromat France SARL Impasse de la Noisette - CE402 F-91374 Verrières le Buisson Tél.: +33 1 69 20 07 41 Email: bstfrance@bst.group Web: https://www.bst.elaxis.group/	Amcor (Sarrebouurg) 231254 M. Thierry Richard 48 rue de Sarreguemines 57400 Sarrebouurg France +33 3 87 24 53 43 thierry.richard@amcor.com
--	---

Preventive reference number	PMREPORT-253_PM863_2025-04-07
Contract number / Numéro de contrat	Please fill system information
Contract date:	
Machine customer name:	249
Assign to:	CouV
Material:	VIDEO_IPQ_Check_eco
Type:	iPQ Check Eco
SN:WA:	ASO065990_WA0021130
Installation date of material:	2020/08/07

TECHNICAL DATAS

PC MODEL	beg-BKA-BSTE01
PC NAME	21130IPQ-CENTER
ADDITIONAL CAMERA INFO	iPQ Check Eco
OPERATION SYSTEM	Windows 10 Entreprise 2016 LTSB
MEMORY RAM	32 GB
FREE SPACE ON C	51.5 GB
FREE SPACE ON D	91.8 GB
TEAMVIEWER ID	1 719 113 770 / v12
IP ADDRESS EXTERN FOR INTERNET	
ORIGINAL VERSION	2.15.9
UPG OR DNG VERSION DURING MAINTENANCE	No software upgrade recommended

Start time PM:	07/04/2025 13:50
End time PM:	

		COMMENTS			COMMENTS
Touchmonitorcalibration	✓		Ipqchecksynchronization	✓	
Pcscreenresolutiontouch		1920x1080	Ipqencoderwheelfixing	✓	
Pcscreenresolutionview		1920x1080	Ipqencoderwheelstatus	✓	
Hardwareconditionscrews	✓		Ipqencoderwheelrunningonweb	✓	
Hardwareconditioncables	✓		Alarmstatusindicator	✓	
Hardwareconditionconnectors	✓		Upsbatteryexchanged	⏸	
Digitalcheckfan	✓		Upsdatebatteryexchanged		UPS builder recommend to exchange every 4 years.
Digitalreplacefilter	✓		Installation date:		2020-08-07 -> 04 YEAR(S)
Linecameracleanmirror	✗	Présence de produit corrosif sur les miroirs, les miroirs sont très marqués même après nettoyage.	Upscommunicationchecking	✓	
Led checking+reflector checking+dome	✗	Dôme craquelé.	Softwareupdate	⏸	
Linecameramechanicalcheck	✓		Version upgraded		
Linecamerabacklightmechanicalcheckjigs	✓		Softwareipqtcu		1.11
Camera mechanicalalignmenttoprint	✓		Softwareipqli		1.4.3
Camera whitecalibration	✓	Quelques traits sont visibles dû à l'état des miroir.	Softwareworkflowcommunication	✓	
			Softwareremote	✗	
			Operatorinstructions	⏸	
			Backupscreenshots	✓	
			Backupimage	⏸	
			Backupsoftware	⏸	

✓: Checked, nothing to report / Vérifié, RAS

✗: Not OK, checked comment / Pas OK, vérifiez commentaires

⏸: Not actif / Non Actif

Comment(s)

(If fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

Customer signature:

Name: **Thierry Richard**


Date : **5/5/2025**



BST eltromat FRANCE signature:

Name: **Coutellier Vivien**

Date :


0/04/2025 12:25

les accus ont été changé
reste à chiffrer la remise en état des miroirs et dôme

BST Eltromat France SARL Impasse de la Noisette - CE402 F-91374 Verrières le Buisson Tél.: +33 1 69 20 07 41 Email: bstfrance@bst.group Web: https://www.bst.elexis.group/	Amcor (Sarrebouurg) 231254 M. Thierry Richard 48 rue de Sarreguemines 57400 Sarrebouurg France +33 3 87 24 53 43 thierry.richard@amcor.com
--	---

Preventive reference number	PMREPORT-244_PM854_2025-03-27
Contract number / Numéro de contrat	Please fill system information
Contract date:	
Machine customer name:	247 Cerruti
Assign to:	RelR
Material:	VIDEO_IPQ_Center
Type:	IPQ Center
SN:WA:	ASO051497_WA0020375
Installation date of material:	2019/01/10

TECHNICAL DATAS

PC MODEL	IPC-BG-BKA-BSTE01.0-2
PC NAME	20375iPQ-Center1-1
ADDITIONAL CAMERA INFO	IPQ Center
OPERATION SYSTEM	WINDOWS 10 ENTERPRISE
MEMORY RAM	32Go
FREE SPACE ON C	51.1Gb / E:40.2Gb
FREE SPACE ON D	96.1Gb /F: 1.79Gb
TEAMVIEWER ID	1120910937
IP ADDRESS EXTERN FOR INTERNET	
ORIGINAL VERSION	2.13.2
UPG OR DNG VERSION DURING MAINTENANCE	2.15.9

Start time PM:	27/03/2025 11:15
End time PM:	27/03/2025 13:30

COMMENTS			COMMENTS		
Touchmonitorcalibration	✓		Ipqchecksynchronization	✓	
Pcscreenresolutiontouch		1920X1080	Ipqencoderwheelfixing	✓	
Pcscreenresolutionview		1920X1080	Ipqencoderwheelstatus	✓	
Hardwareconditionscrews	✓		Ipqencoderwheelrunningonweb	✓	
Hardwareconditioncables	✓		Alarmstatusindicator	✓	
Hardwareconditionconnectors	✓		Upsbatteryexchanged	✓	Remise en place de l'UPS d'origine et remplacement de la batterie
Digitalcheckfan	✓		Upsdatebatteryexchanged		2025/04/01
Digitalreplacefilter	✓		Installation date:		2019-01-10 -> 00 YEAR(S)
Traversecamera	✓		Upscommunicationchecking	✓	
Traversecameralenscleaning	✓		Softwareupdate	✓	
Traversewscamerareplaceflashbulb	✓		Version upgraded		2.15.9
Traversewscameracleanwindows	✓		Softwareipqtu		1.11
Camerachangefiltercheckfan	✓		SoftwareipqWSC		1.9
Traversewscamerashadowreducingbackplate	✓		Softwareipqpps		2.2
Traversewscameracheckflashbulblackerflash	✓		Softwareipqli		1.4.3
Traversewscameracheckcleanmirrorlackercamera	✓		Softwareworkflowcommunication	✓	
Traversewscameracheckzoomirisfocuswscboard	✓		Softwareremote	✓	
Traversewscameracalibrationzoomirisfocus	✗	The white calibration is done, the iris calibration did not work value between 8.5 and 9.5 for a tolerance of 5.	Operatorinstructions	⏸	
Traversebackflash	✓		Backupscreenshots	✓	
Traversebackflashflashbulb	✓		Backupimage	✓	
Linecameracleanmirror	✓		Backupsoftware	✓	
Led checking+reflector checking+dome	✓	Dome craqué			
Linecameramechanicalcheck	✓				
Linecamerabacklightmechanicalcheckjigs	✓				
Camera mechanicalalignementtoprint	✓				
Camera whitecalibration	✓				

- ✓: Checked, nothing to report / Vérifié, RAS
 ✗: Not OK, checked comment / Pas OK, vérifiez commentaires
 ⏸: Not actif / Non Actif

Comment(s)

(If fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

Customer signature:

Name: **Thierry Richard**

Date : **9/5/2025**



BST eltromat FRANCE signature:

Name: **Coutellier Vivien**

Date :



10/04/2025 12:24

BSI Eltromat France SARL Impasse de la Noisette - CE402 F-91374 Verrières le Buisson Tél.: +33 1 69 20 07 41 Email: bstfrance@bst.group Web: https://www.bst.elaxis.group/	Amcor (Sarrebouurg) 231254 M. Thierry Richard 48 rue de Sarreguemines 57400 Sarrebouurg France +33 3 87 24 53 43 thierry.richard@amcor.com
--	---

Preventive reference number	PMREPORT-241_PM847_2025-03-24
Contract number / Numéro de contrat	Please fill system information
Contract date:	
Machine customer name:	331
Assign to:	RelR
Material:	VIDEO_Tubescan_DS
Type:	TubeScan DS 660 4000 / M2032C-0.1667
SN:WA:	ASO071573 _ 42.1605
Origin BST France order:	CM1706008
Installation date of material:	2021/02/24

TECHNICAL DATAS

PC MODEL	Optiplex 7080
PC NAME	Tubescan421605
ADDITIONAL CAMERA INFO	TubeScan DS 660 4000 / M2032C-0.1667
OPERATION SYSTEM	Win10Pro
MEMORY RAM	16Go
FREE SPACE ON C	134Gb
FREE SPACE ON D	
TEAMVIEWER ID	665 364 180 / v12
IP ADDRESS EXTERN FOR INTERNET	
ORIGINAL VERSION	7.4.35.87
UPG OR DNG VERSION DURING MAINTENANCE	7.4.67.34209

Start time PM:	24/03/2025 14:45
End time PM:	24/03/2025 17:45

		COMMENTS			COMMENTS
Touch monitor calibration	✓		Fixation encoder	✓	
Touch monitor resolution		1024X768	Encoder wheel status	✓	Roue changée, inversion des ressort pour avoir une meilleure pression, ressorts à remplacer a la prochaine maintenance.
View monitor resolution		1920X1080	Encoder wheel on web?	✓	Selon la largeur de passage.
Fixation screws of system?	✓		Spring(s) encoder status ?	✓	
Cables status ?	✓		Alarm indicator status ?	✓	
Connectors cameras (well tight?)	✓				
PC's fans ?	✓				
PC's filter			Installation date:		2021-02-24
Lens cleaning	✓				
Mirror cleaning			Software workflow communication	✗	En place mais non connecté.
Backing or RRB cleaning	✓		Check Teamviewer access	✓	
Lens Focal			Calibration of camera detail & 100% camera		
Camera alignment with printing	✓		Operators instruction ?		
Check web under camera	✓		Screenshots	✓	
Height compensator calib	✓		ACRONIS ?		
Encoder offset calib	✓		Backup application	✓	
Only with EV- LED calibrations					
Kisspoint only with 2 cameras	✓	Cam 1 décalée de 23 a 22			

Filled quantity needed for quotation:

(if fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

ENCODER WHEEL:: 2RDHO234275

LED Board equipped V40 L=140mm: 1ELLT256485

LED Board equipped V40 L=160mm: 1ELLT256486

ENCODER'S SPRING

BACKPLATE W/B

✓: Checked, nothing to report / Vérifié, RAS

✗: Not OK, checked comment / Pas OK, vérifiez commentaires

⏸: Not actif / Non Actif

Comment(s)

(If fields are not visible please open PDF file with Google chrome or Microsoft edge navigator or update your navigator)

Customer signature:

Name: **Thierry Richard**

Date : **3/5/25**



BST eltromat FRANCE signature:

Name: **Coutellier Vivien**

Date :

10/04/2025 12:23 